


High cleaning performance and heating effect combined with long lifetime and robustness

The versatile MH 5M combines low running costs, high performance, ease of use, low noise and great cleaning efficiency. The award winning design is easy to use and service. The flow-activated control system contributes to even more comfortable use of the machine and assures durability and reliability. The EcoPower boiler system offers > 92% efficiency for significantly reduced fuel consumption and lower running costs.







- EcoPower boiler with > 92% efficiency for reduced fuel costs
- Flow-activated control system for additional comfort in use
- 1450 RPM motor
- NA5H pump with 3 ceramic pistons
- Easy to use control panel
- Ergo 2000 accessory concept
- Includes BA Valve backflow preventor
- Steel frame and chassis
- Quick service concept reduces maintenance costs
- Optimal machine protection against low fuel, low pump oil. Includes flame sensor and exhaust gas temperature sensor.
- Diagnostics system
- 2 way chemical dosing system with automatic flush system
- Max. Inlet temperature 40°C



Picture shown may not represent model quoted







The MH 5M series offers high cleaning efficiency and low running costs via optimal cleaning and heating performance. It is the ideal hot water unit for medium duty and regular cleaning tasks in customer segments such as automotive and transport, farming and industry.

• Standard equipment



Included accessories	Ref. no.	Min. required	MH 5M-190/960 400/3/50 EU	MH 5M-190/960 X 400/3/50 EU	MH 5M-210/1110 400/3/50 EU
Ergo System Coupling and Adapter					
 ERGO COUPLING KIT	101119496	1	•	•	•
High Pressure Male Coupling					
 LP NIPPLE F. Q.-COUPLING 3/4IN	1600659	1			
High Pressure Female Coupling					
 HOSE NOZZLE 20R3/4	61369	1	•	•	•
 QUICK COUPLING 3/4 W/GASKET	1602945	1			
High Pressure Hose, DN8					



High cleaning performance and heating effect combined with long lifetime and robustness









Included accessories		Ref. no.	Min. required	MH 5M-190/960 400/3/50 EU	MH 5M-190/960 X 400/3/50 EU	MH 5M-210/1110 400/3/50 EU
	HOSE DN8 1 WIRE 10M W.ERGO FEMALE COUPL.	101405770	1	•		•
	HOSE DN8 1 WIRE 20M W.ERGO FEMALE COUPL.	301001101	1		•	
Spray Gun						
	ERGO 2000 STANDARD W. HOSE SWIVEL	106403122	1	•	•	•
Tornado Lance						
	TORNADO PLUS 1120 BEND W/O NOZZLE	106403010	1	•	•	•
Tornado Nozzle with Indication Ring						
	NOZZLE 0500 INDICATION RING YELLOW	101119741	1	•	•	
	NOZZLE 0550 INDICATION RING NEONGREEN	101119743	1			•

• Standard equipment

Included accessories		Ref. no.	Min. required	MH 5M-210/1110 X 400/3/50 EU	MH 5M-210/1110 230-400/3/50 NO	MH 5M-210/1110 X 230-400/3/50 NO
Ergo System Coupling and Adapter						
	ERGO COUPLING KIT	101119496	1	•	•	•
High Pressure Male Coupling						
	LP NIPPLE F. Q.-COUPLING 3/4IN	1600659	1			
High Pressure Female Coupling						



High cleaning performance and heating effect combined with long lifetime and robustness










Included accessories		Ref. no.	Min. required	MH 5M-210/1110 X 400/3/50 EU	MH 5M-210/1110 230-400/3/50 NO	MH 5M-210/1110 X 230-400/3/50 NO
	HOSE NOZZLE 20R3/4	61369	1	•	•	•
	QUICK COUPLING 3/4 W/GASKET	1602945	1			
High Pressure Hose, DN8						
	HOSE DN8 1 WIRE 10M W.ERGO FEMALE COUPL.	101405770	1		•	
	HOSE DN8 1 WIRE 20M W.ERGO FEMALE COUPL.	301001101	1	•		•
Spray Gun						
	ERGO 2000 STANDARD W. HOSE SWIVEL	106403122	1	•	•	•
Tornado Lance						
	TORNADO PLUS 1120 BEND W/O NOZZLE	106403010	1	•	•	•
Tornado Nozzle with Indication Ring						
	NOZZLE 0500 INDICATION RING YELLOW	101119741	1			
	NOZZLE 0550 INDICATION RING NEONGREEN	101119743	1	•	•	•

• Standard equipment

Included accessories		Ref. no.	Min. required	MH 5M-210/1110 220-440/3/60 EXPT	MH 5M-170/910 200/3/50 JP	MH 5M-170/910 200/3/60 JP
Ergo System Coupling and Adapter						
	ERGO COUPLING KIT	101119496	1	•	•	•












High cleaning performance and heating effect combined with long lifetime and robustness

Included accessories	Ref. no.	Min. required	MH 5M-210/1110 220-440/3/60 EXPT	MH 5M-170/910 200/3/50 JP	MH 5M-170/910 200/3/60 JP
High Pressure Male Coupling					
 LP NIPPLE F. Q.-COUPLING 3/4IN	1600659	1		•	•
High Pressure Female Coupling					
 HOSE NOZZLE 20R3/4	61369	1	•		
 QUICK COUPLING 3/4 W/GASKET	1602945	1		•	•
High Pressure Hose, DN8					
 HOSE DN8 1 WIRE 10M W.ERGO FEMALE COUPL.	101405770	1	•	•	
 HOSE DN8 1 WIRE 20M W.ERGO FEMALE COUPL.	301001101	1			
Spray Gun					
 ERGO 2000 STANDARD W. HOSE SWIVEL	106403122	1	•	•	•
Tornado Lance					
 TORNADO PLUS 1120 BEND W/O NOZZLE	106403010	1	•	•	•
Tornado Nozzle with Indication Ring					
 NOZZLE 0500 INDICATION RING YELLOW	101119741	1		•	•
 NOZZLE 0550 INDICATION RING NEONGREEN	101119743	1	•		


High cleaning performance and heating effect combined with long lifetime and robustness

• Standard equipment

Included accessories	Ref. no.	Min. required	MH 5M-190/960 230-400/3/50 NO
Ergo System Coupling and Adapter			
 ERGO COUPLING KIT	101119496	1	•
High Pressure Male Coupling			
 LP NIPPLE F. Q.-COUPLING 3/4IN	1600659	1	
High Pressure Female Coupling			
 HOSE NOZZLE 20R3/4	61369	1	•
 QUICK COUPLING 3/4 W/GASKET	1602945	1	
High Pressure Hose, DN8			
 HOSE DN8 1 WIRE 10M W.ERGO FEMALE COUPL.	101405770	1	•
 HOSE DN8 1 WIRE 20M W.ERGO FEMALE COUPL.	301001101	1	
Spray Gun			
 ERGO 2000 STANDARD W. HOSE SWIVEL	106403122	1	•
Tornado Lance			
 TORNADO PLUS 1120 BEND W/O NOZZLE	106403010	1	•
Tornado Nozzle with Indication Ring			
 NOZZLE 0500 INDICATION RING YELLOW	101119741	1	•



High cleaning performance and heating effect combined with long lifetime and robustness

Included accessories	Ref. no.	Min. required	MH 5M-190/960 230-400/3/50 NO
 NOZZLE 0550 INDICATION RING NEONGREEN	101119743	1	

Model	MH 5M-190/960 400/3/50 EU	MH 5M-190/960 X 400/3/50 EU	MH 5M-210/1110 400/3/50 EU
Ref. no.	107146650	107146651	107146653

PRODUCT FEATURES

Single-phase			
Three phase	•	•	•
EcoPower boiler-high efficiency	•	•	•
SilentPower - 1450 rpm motor	•	•	•
QuickService - innovative concept	•	•	•
Ergo accessory system	•	•	•
Hose reel		•	
Robust steel chassis and frame	•	•	•
Pump oil warning system	•	•	•
Service indicator	•	•	•
Anti calc indicator	•	•	•
2-motor system	•	•	•
Automatic on/off and delayed action	•	•	•
NA5 - 3 ceramic piston pump	•	•	•
Flow-activated control system	•	•	•
Flame sensor	•	•	•

Model	MH 5M-210/1110 X 400/3/50 EU	MH 5M-210/1110 230-400/3/50 NO	MH 5M-210/1110 X 230-400/3/50 NO
Ref. no.	107146654	107146655	107146656

PRODUCT FEATURES

Single-phase			
Three phase	•	•	•
EcoPower boiler-high efficiency	•	•	•
SilentPower - 1450 rpm motor	•	•	•
QuickService - innovative concept	•	•	•
Ergo accessory system	•	•	•
Hose reel	•		•
Robust steel chassis and frame	•	•	•



High cleaning performance and heating effect combined with long lifetime and robustness

Model	MH 5M-210/1110 X 400/3/50 EU	MH 5M-210/1110 230-400/3/50 NO	MH 5M-210/1110 X 230-400/3/50 NO
Ref. no.	107146654	107146655	107146656

PRODUCT FEATURES

Pump oil warning system	•	•	•
Service indicator	•	•	•
Anti calc indicator	•	•	•
2-motor system	•	•	•
Automatic on/off and delayed action	•	•	•
NA5 - 3 ceramic piston pump	•	•	•
Flow-activated control system	•	•	•
Flame sensor	•	•	•

Model	MH 5M-210/1110 220-440/3/60 EXPT	MH 5M-170/910 200/3/50 JP	MH 5M-170/910 200/3/60 JP
Ref. no.	107146657	107146660	107146661

PRODUCT FEATURES

Single-phase			
Three phase	•	•	•
EcoPower boiler-high efficiency	•	•	•
SilentPower - 1450 rpm motor	•	•	•
QuickService - innovative concept	•	•	•
Ergo accessory system	•	•	•
Hose reel			
Robust steel chassis and frame	•	•	•
Pump oil warning system	•	•	•
Service indicator	•	•	•
Anti calc indicator	•	•	•
2-motor system	•	•	•
Automatic on/off and delayed action	•	•	•
NA5 - 3 ceramic piston pump	•	•	•
Flow-activated control system	•	•	•
Flame sensor	•	•	•



High cleaning performance and heating effect combined with long lifetime and robustness

Model	MH 5M-190/960 230-400/3/50 NO
Ref. no.	107146666

PRODUCT FEATURES

Single-phase	
Three phase	•
EcoPower boiler-high efficiency	•
SilentPower - 1450 rpm motor	•
QuickService - innovative concept	•
Ergo accessory system	•
Hose reel	
Robust steel chassis and frame	•
Pump oil warning system	•
Service indicator	•
Anti calc indicator	•
2-motor system	•
Automatic on/off and delayed action	•
NA5 - 3 ceramic piston pump	•
Flow-activated control system	•
Flame sensor	•

Technical specifications	MH 5M-190/960 400/3/50 EU	MH 5M-190/960 X 400/3/50 EU	MH 5M-210/1110 400/3/50 EU
Pump pressure (bar/MPa)	190/19	190/19	210/21
Cleaning impact (kg/force)	5.0	5.0	6.1
Pump (RPM)	1450	1450	1450
Power consumption (kW)	6.0	6.1	7.6
Voltage/phase/frequency/current (V/~/HZ/A)	400/3/50/12.2	400/3/50/12.2	400/3/50/15.4
Water flow Qmax/Qiec (l/h)	960/900	960/900	1110/1050
Water temperature (water/steam) (°C)	90/150	90/150	90/150
El cable (m)	5	5	5
Fuel consumption $\Delta T=45^{\circ}\text{C}$ (kg/h)	3.9	3.9	4.6
Fuel tank (l)	35	35	35
Detergent tank (l)	A: 15 + B:10	A: 15 + B:10	A: 15 + B:10
Nozzle size	.0500	.0500	.0550
Ceramic pistons	3	3	3
Length x width x height (mm)	1190x702x987	1190x702x987	1190x702x987
Weight (kg)	160	165	160
Sound power level, Re Directive 2000/14/EU (LwA)	93	93	96



High cleaning performance and heating effect combined with long lifetime and robustness

Technical specifications	MH 5M-210/1110 X 400/3/50 EU	MH 5M-210/1110 230-400/3/50 NO	MH 5M-210/1110 X 230-400/3/50 NO
Pump pressure (bar/MPa)	210/21	210/21	210/21
Cleaning impact (kg/force)	6.1	6.1	6.1
Pump (RPM)	1450	1450	1450
Power consumption (kW)	7.8	7.6	7.8
Voltage/phase/frequency/current (V/~/HZ/A)	400/3/50/15.8	230-400/3/50/25-15.6	230-400/3/50/25-15.8
Water flow Qmax/Qiec (l/h)	1110/1050	1110/1050	1110/1050
Water temperature (water/steam) (°C)	90/150	90/150	90/150
El cable (m)	5	5	5
Fuel consumption $\Delta T=45^{\circ}\text{C}$ (kg/h)	4.6	4.6	4.6
Fuel tank (l)	35	35	35
Detergent tank (l)	A: 15 + B:10	A: 15 + B:10	A: 15 + B:10
Nozzle size	.0550	.0550	.0550
Ceramic pistons	3	3	3
Length x width x height (mm)	1190x702x987	1190x702x987	1190x702x987
Weight (kg)	165	161	166
Sound power level, Re Directive 2000/14/EU (LwA)	96	96	96






Technical specifications	MH 5M-210/1110 220-440/3/60 EXPT	MH 5M-170/910 200/3/50 JP	MH 5M-170/910 200/3/60 JP
Pump pressure (bar/MPa)	210/21	170/17	170/17
Cleaning impact (kg/force)	6.1	4.7	4.4
Pump (RPM)	1760	1450	1750
Power consumption (kW)	7.8	5.4	5.1
Voltage/phase/frequency/current (V/~/HZ/A)	440-220/3/60/21.8-12.5	200/3/50/18.9	200/3/60/16.6
Water flow Qmax/Qiec (l/h)	1110/1050	910/850	910/850
Water temperature (water/steam) (°C)	90/150	90/150	90/150
El cable (m)	5	5	5
Fuel consumption $\Delta T=45^{\circ}\text{C}$ (kg/h)	4.6	3.9	3.9
Fuel tank (l)	35	35	35
Detergent tank (l)	A: 15 + B:10	A: 15 + B:10	A: 15 + B:10
Nozzle size	.0550	.0500	.0500
Ceramic pistons	3	3	3
Length x width x height (mm)	1190x702x987	1190x702x987	1190x702x987
Weight (kg)	161	160	160
Sound power level, Re Directive 2000/14/EU (LwA)	96	92	92



High cleaning performance and heating effect combined with long lifetime and robustness











Technical specifications	MH 5M-190/960 230-400/3/50 NO
Pump pressure (bar/MPa)	190/19
Cleaning impact (kg/force)	5.0
Pump (RPM)	1450
Power consumption (kW)	7.6
Voltage/phase/frequency/current (V/~/HZ/A)	230-400/3/50/12.2
Water flow Qmax/Qiec (l/h)	960/900
Water temperature (water/steam) (°C)	90/150
El cable (m)	5
Fuel consumption ΔT=45°C (kg/h)	3.9
Fuel tank (l)	35
Detergent tank (l)	A: 15 + B:10
Nozzle size	.0500
Ceramic pistons	3
Length x width x height (mm)	1190x702x987
Weight (kg)	188
Sound power level, Re Directive 2000/14/EU (LwA)	93

● Standard equipment, ○ Supplementary accessories, □ Mountable equipment












Accessories	Ref. no.	Min. required	MH 5M-190/960 400/3/50 EU	MH 5M-190/960 X 400/3/50 EU	MH 5M-210/1110 400/3/50 EU
Special Nozzle					
	CONTAINER CLEANING NOZZLE	15861	1	○	○
	NOZZLE FOR LONG LANCEJET 6-7 M	2802696	1	○	○
	NOZZLE PROTECTION CAP PA	18430	1	○	○
	NOZZLE STEAM JET Ø1.5MM 5OGR 1/8	6692	0	○	○
	VARIO-NOZZLE CASING 1/8	5888	1	○	○
Hose and Connection					














High cleaning performance and heating effect combined with long lifetime and robustness

Accessories	Ref. no.	Min. required	MH 5M-190/960 400/3/50 EU	MH 5M-190/960 X 400/3/50 EU	MH 5M-210/1110 400/3/50 EU
 NILFISK BA VALVE COMP. GARDENA	106411177	0	○	○	○
 NILFISK BA VALVE COMP. GEKA	106411179	0	○	○	○
 NILFISK BA VALVE COMP. NITO	106411178	0	○	○	○
 NILFISK BA VALVE WO COUPLER	106411184	0	○	○	○
WATER INLET HOSE 3/4 P/	6465	1	○	○	○
High Pressure Male Coupling					
 ADAPTER KEW QUICK COUPLING MALE 3/8	66159	1	○	○	○
 ADAPTOR 3/8 INCH MALE FOR HOSE	6401067	1	○	○	○
 ADAPTOR KEW GUN TO WAP ACCESS.	66161	1	○	○	○
GARDENA COUPLING HOSE END 1/2 BULK	1608629	1	○	○	○
 GEKA COUPLING HOSE END 3/4	1311	1	○	○	○
 LP NIPPLE F. Q.-COUPLING 3/4IN	1600659	1	○	○	○
 NITO COUPLING HOSE END 1	1604669	1	○	○	○
High Pressure Female Coupling					












High cleaning performance and heating effect combined with long lifetime and robustness

Accessories	Ref. no.	Min. required	MH 5M-190/960 400/3/50 EU	MH 5M-190/960 X 400/3/50 EU	MH 5M-210/1110 400/3/50 EU
 ADAPTER KEW QUICK COUPLING FEMALE 3/8	66160	1	○	○	○
 ADAPTER WAP GUN COUPLING FEMALE M21X1.5	66162	1	○	○	○
 COUPLING GEKA FEMALE - INT THREAD 3/4 IN	1718	1	○	○	○
 GARDENA MALE 3/4 INCH	32541	1	○	○	○
 HOSE NOZZLE 20R3/4	61369	1	●	●	●
 QUICK COUPLING 3/4 W/GASKET	1602945	1	○	○	○
Standard Nozzle 25° 1/8" NPT					
 HP NOZZLE 25050 1/8 INCH NPT	7813	1	○	○	
 HP NOZZLE 25055 1/8 INCH NPT	7814	1			○
Abrasive Blasting					
 ARMEX-POWDER	5218617	1	○	○	
	BORONCARBIDE FLAT NOZZLE VSB	6400379	1	○	○
 LANCE SOFTBLASTING W. NOZZLE 05	6401233	1	○	○	
 LANCE WITH RUBBER FLAT NOZZLE 05	6401364	1	○	○	

High cleaning performance and heating effect combined with long lifetime and robustness












	Accessories	Ref. no.	Min. required	MH 5M-190/960 400/3/50 EU	MH 5M-190/960 X 400/3/50 EU	MH 5M-210/1110 400/3/50 EU
	LANCE WITH RUBBER FLAT NOZZLE 06	6401365	1			○
	NOZZLE FOR WSB - FLAT RUBBER 10 PC.	6402317	1	○	○	○
	SAND PLUGGER AND HOSE VSB	6400375	1	○	○	
	SOFT BLASTING LANCE 06 NOZZLE	6401234	1			○
	SUPER BLAST 25KG	8379	1	○	○	
Detergent						
	ALTO ACIDO 10 L	81204	1	○	○	○
	ALTO ACTIVE WAX 10 L	81177	1	○	○	○
	ALTO ALLOSIL 10 L	81237	1	○	○	○
	ALTO ANTI-STONE 10 L	80919	1	○	○	○
	ALTO COMBI ACTIVE 10L	81172	1	○	○	○
	ALTO INTENSIVE 10 L	81137	1	○	○	○
	ALTO J 25 MULTI 10 L	80923	1	○	○	○

High cleaning performance and heating effect combined with long lifetime and robustness












Accessories		Ref. no.	Min. required	MH 5M-190/960 400/3/50 EU	MH 5M-190/960 X 400/3/50 EU	MH 5M-210/1110 400/3/50 EU
	ALTO RIMTOP 10 L	80935	1	○	○	○
	ALTO SAPPHIRE 10 L	81180	1	○	○	○
	ALTO STONE-EX 10 L	81191	1	○	○	○
	ALTO SUPERPLUS 10 L	81170	1	○	○	○
	ALTO UNIVERSAL 10 L	80930	1	○	○	○
	ANTI-STONE SET-6X1 L	8466	1	○	○	○
	AUTO ACTIVE 10 L	81136	1	○	○	○
Brush Washing						
	BRUSH INSERT	10356	1	○	○	○
	WASH BRUSH - ERGO - UNIVERSAL LANCE	14202	1	○	○	○
	WASH BRUSH L1550 MM	6400088	1	○	○	○
	WASH BRUSH L2350 MM	6400087	1	○	○	○
Standard Nozzle 0° 1/8" NPT						



High cleaning performance and heating effect combined with long lifetime and robustness













Accessories		Ref. no.	Min. required	MH 5M-190/960 400/3/50 EU	MH 5M-190/960 X 400/3/50 EU	MH 5M-210/1110 400/3/50 EU
	HP-NOZZLE 0050 1/8	17387	1	○	○	
Standard Nozzle 15° 1/4" NPT						
	HP NOZZLE 15050 1/8	41394	1	○	○	
External Control Unit						
	COUNTER-H 24V50HZ 7ST.	42628	1	○	○	○
	REMOTE CONTROL 1X DETERGENT	301001355	1	○	○	○
	REMOTE CONTROL 2X DETERGENT	301001356	1	○	○	○
Drain and Pipe Cleaning						
	DRAIN CLEANER 05 20M HOSE	6401266	1	○	○	
	DRAIN CLEANER 06 20M HOSE	6401268	1			○
	DRAIN NOZZLE 05 3/8	2800084	1	○	○	
	DRAIN NOZZLE 06 3/8	2800894	1			○
	HOSE DN10 10M W.05 DRAIN NOZZ.W.1/4 NIPP	6401265	1	○	○	
	PIPE CLEANING HOSE 4X10M	301002490	1	○	○	○

High cleaning performance and heating effect combined with long lifetime and robustness











Accessories		Ref. no.	Min. required	MH 5M-190/960 400/3/50 EU	MH 5M-190/960 X 400/3/50 EU	MH 5M-210/1110 400/3/50 EU
	PIPE CLEANING HOSE 4X20M	301002491	1	○	○	○
	PIPE CLEANING NOZZLE 1/8INC IG DN4	46921	1			
	PIPE CLEANING ROTATY NOZZLE 1/8INC IG DN	46918	1	○	○	○
TurboHammer Nozzle						
	NOZZLE TURBOHAMMER HEAD .0450 W11	48874	1			○
	NOZZLE TURBOHAMMER HEAD .0550 W11	48875	1			○
	NOZZLE TURBOHAMMER HEAD .0550 W12	49287	1			○
	TURBOHAMMER NOZZLE W11 050	48872	1	○	○	
	TURBOHAMMER NOZZLE W12 050	301001108	1	○	○	
FlexoPower Lance						
	FLEXOPOWER HOUSE F.NZ 1/8 OUTS. THREAD	63251	1	○	○	○
	FLEXOPOWER PLUS 960 BEND W/O NOZZLE	106402282	1	○	○	○
	FLEXOPOWER PLUS 990 BEND W/O NOZ.	106402281	1	○	○	○
Filter Pressure Washer						













High cleaning performance and heating effect combined with long lifetime and robustness

Accessories	Ref. no.	Min. required	MH 5M-190/960 400/3/50 EU	MH 5M-190/960 X 400/3/50 EU	MH 5M-210/1110 400/3/50 EU
 CARTRIDGE FILTER REPLACEM. 50 µM	1104041	1	○	○	○
 SAND FILTER 50 MICRON GEKA MH	106402200	1	○	○	○
 SAND FILTER 50MICRON UNIVERSAL	1604461	1	○	○	○
 WATER FILTER COMPLETE	107145802	0	○	○	○
Non Blacking High Pressure Hose, DN10					
 20 M 2 WIRE HOSE 3/8 FOOD	1401991	1	○	○	○
 25 M 2 WIRE HOSE 3/8 FOOD	1402007	1	○	○	○
 30 M 2 WIRE HOSE 3/8 FOOD	1402015	1	○	○	○
 HOSE DN10 10 M 2W 3/8X3/8 GRAU-FOOD	6101767	1	○	○	○
 HOSE DN10 15 M 2W 3/8X3/8 GRAY-FOOD	1401983	1	○	○	○
High Pressure Hose, DN10					
 2 M 2 WIRE HOSE 3/8 DN10	1402924	1	○	○	○
 3 M 2 WIRE HOSE 3/8 DN10	1402932	1	○	○	○
 5 M 2 WIRE HOSE 3/8 DN10	1402940	1	○	○	○












High cleaning performance and heating effect combined with long lifetime and robustness

	Accessories	Ref. no.	Min. required	MH 5M-190/960 400/3/50 EU	MH 5M-190/960 X 400/3/50 EU	MH 5M-210/1110 400/3/50 EU
	25 M 2 WIRE HOSE 3/8 DN10	1402080	1	○	○	○
	30 M 2 WIRE HOSE 3/8 DN10	1402098	1	○	○	○
	50 M 2 WIRE HOSE 3/8 DN10	1402759	1	○	○	○
	HOSE DN10 10 M 2W 3/8X3/8 INCH	6101766	1	○	○	○
	HP HOSE 3/8INCH 1M DN10. COMPL.	1402916	1	○	○	○
	HP HOSE DN10 150DEG L15000mm	1402064	1	○	○	○
	M 20 WIRE HOSE 3/8 DN10	1402072	1	○	○	○
High Pressure Hose, DN8						
	10 M 1 WIRE HOSE 5/16 DN8	1405569	1	○	○	○
	HOSE DN8 1 WIRE 10M W.ERGO FEMALE COUPL.	101405770	1	●	○	●
	HOSE DN8 1 WIRE 15M W.ERGO FEMALE COUPL.	301001100	1	○	○	○
	HOSE DN8 1 WIRE 20M W.ERGO FEMALE COUPL.	301001101	1	○	●	○












High cleaning performance and heating effect combined with long lifetime and robustness

Accessories		Ref. no.	Min. required	MH 5M-190/960 400/3/50 EU	MH 5M-190/960 X 400/3/50 EU	MH 5M-210/1110 400/3/50 EU
	HOSE DN8 20 M 1W - 3/8X3/8	1405666	1	○	○	○
Ergo System Coupling and Adapter						
	COUPLING - FEMALE/Q-COUPPL 3/8 INCH	106402075	1	○	○	○
	ERGO COUPLING KIT	101119496	1	●	●	●
	HIGH PRESSURE COUPLINGS KIT	101119499	1	○	○	○
	Nippel F. Q-COUPPL. 3/8 INCH	1600493	1	○	○	○
	NIPPLE F/QUICK COUPLING 3/8 SS	1603101	1	○	○	○
	PACKING RING 23.8X17.2X2 3/8 INCH St-NBR	1801075	0	○	○	○
High Pressure Hose, DN12						
	10 M 2 WIRE HOSE 1/2 DN12	4810219	0	○	○	○
	20 M 2 WIRE HOSE 1/2 DN12	4810214	0	○	○	○
Brush Rotary						
	BRISTLE. LONG	6401431	1	○	○	○
	BRUSH HEAD - SHORT BRASS BRISTLE	6401433	1	○	○	○












High cleaning performance and heating effect combined with long lifetime and robustness

Accessories		Ref. no.	Min. required	MH 5M-190/960 400/3/50 EU	MH 5M-190/960 X 400/3/50 EU	MH 5M-210/1110 400/3/50 EU
	NYLON. BRISTLE FOR ROTARY	6401432	1	○	○	○
	ROTARY BRUSH 055 1700MM	6400019	1	○	○	○
	ROTARY BRUSH 055 L800 MM	6400018	1	○	○	○
Hose Reel						
	CLEANING TROLLEY SS W/HOOSE REEL FOAM IN	6401094	1	○	○	○
	HOSE CORD REEL SET	301001130	1	○	○	○
	HOSE REEL 20M SET	301001131	1	○	○	○
	HOSE REEL RETRACTABLE SS W/O HOSE	106403168	0	○		○
	HOSE TROLLEY UP TO 50 M 3/8	6400170	1	○	○	○
	HOSEREEL BLUE.PAINT RETRACTAB.W/20M HOSE	106403131	0	○		○
Special Lance						
	CURVED LANCE L1090 MM	6402016	1	○	○	○
	LANCE SINGLE 1500MM W/O NOZZLE	6401193	1	○	○	○
Injector and Foam Sprayer						










High cleaning performance and heating effect combined with long lifetime and robustness

Accessories	Ref. no.	Min. required	MH 5M-190/960 400/3/50 EU	MH 5M-190/960 X 400/3/50 EU	MH 5M-210/1110 400/3/50 EU
 BOTTLE FOR FOAM SPRAYER 2 L	106408164	0	○	○	○
 EXTENSION HOSE 30 CM WITH ERGO COUPLINGS	301001311	1	○	○	○
 FOAM INJECTOR AGRESSIVE LQDS	6401245	1	○	○	○
 FOAM INJECTOR W BYPASS	6401242	1	○	○	○
 FOAM INJECTOR W BYPASS S. S	6401243	1	○	○	○
 FOAM INJECTOR STANDARD	6401244	1	○	○	○
 FOAM LANCE COMPLETE L600 MM	6404368	1	○	○	○
 FOAM LANCE COMPLETE L1200 MM	6404369	1	○	○	○
 FOAM SPRAYER 2 L. DOSING 1-10 MAX 17 L/M	106408160	0	○	○	○
Other					
 CRANE LIFTING EYE	301001090	1	○	○	○
 EXHAUST PIPE 148X197	301001089	1	○	○	○
WATER SUCTION KIT 300 L/MIN 06	6402018	1			○
Liquid Sprayer					






High cleaning performance and heating effect combined with long lifetime and robustness

Accessories	Ref. no.	Min. required	MH 5M-190/960 400/3/50 EU	MH 5M-190/960 X 400/3/50 EU	MH 5M-210/1110 400/3/50 EU
 KEW LIQUID SPRAYER 5S	7110005	0	○	○	○
 KEW LIQUID SPRAYER 10SP	7110010	0	○	○	○
 KEW LIQUID SPRAYER 20S	7110020	0	○	○	○
Spray Gun					
 ERGO 2000 STANDARD W. HOSE SWIVEL	106403122	1	●	●	●
 REP. KIT SWIVEL JOINT	101119484	1	○	○	○
 SIDE BAR COMPL.	106402110	1	○	○	○
 SPRAY HANDLE W. SWIVEL LOCK	106402190	1	○	○	○
Tornado Nozzle with Indication Ring					
 NOZZLE 0500 INDICATION RING YELLOW	101119741	1	●	●	
 NOZZLE 0550 INDICATION RING NEONGREEN	101119743	1			●
 NOZZLE PROTECTION F. TORNADOL.	106402425	1	○	○	○
Short Lance					
 DOUBLE LANCE W/O NOZZLE 90MM	106402150	1	○	○	○





High cleaning performance and heating effect combined with long lifetime and robustness

Accessories		Ref. no.	Min. required	MH 5M-190/960 400/3/50 EU	MH 5M-190/960 X 400/3/50 EU	MH 5M-210/1110 400/3/50 EU
	SINGLE LANCE W/O NOZZLE 90MM	106402151	1	○	○	○
TurboHammer Lance						
	TURBOHAMMER PLUS 1125 STRAIGHT W11 0550	106402292	1			○
	TURBOHAMMER PLUS 1125 STRAIGHT W11 0500	106402291	1	○	○	
	TURBOHAMMER PLUS 1130 STRAIGHT W12 0500	106403003	1	○	○	
Tornado Lance						
	TORNADO PLUS 630 STRAIGHT W/O NOZZLE	106403013	1	○	○	○
	TORNADO PLUS 1000 BEND W/O NOZZLE	106403011	1	○	○	○
	TORNADO PLUS 1120 BEND W/O NOZZLE	106403010	1	●	●	●
	TORNADO PLUS 2080 BEND W/O NOZZLE	106403012	1	○	○	○
PowerSpeed Vario Lance						
	POWERSPEED VARIO PLUS 770 BEND 0500	106403023	1	○	○	
	POWERSPEED VARIO PLUS 1090 BEND 0500	106403093	1	○	○	
Universal Lance						
	UNIVERSAL PLUS 650 W/O NOZZLE STRAIGHT	106403032	1	○	○	○
	UNIVERSAL PLUS 1080 W/O NOZZ STRAIGHT	106403033	1	○	○	○

High cleaning performance and heating effect combined with long lifetime and robustness











Accessories		Ref. no.	Min. required	MH 5M-190/960 400/3/50 EU	MH 5M-190/960 X 400/3/50 EU	MH 5M-210/1110 400/3/50 EU
	UNIVERSAL PLUS 1560 W/O NOZZLE STRAIGHT	106403031	1	○	○	○
	UNIVERSAL PLUS 2060 W/O NOZZLE STRAIGHT	106403030	1	○	○	○
	UNIVERSAL PLUS LANCE 940 BEND W/O NOZZ	106403036	1	○	○	○
	UNIVERSAL PLUS LANCE 1080 BEND W/O NOZZ	106403035	1	○	○	○
	UNIVERSAL PLUS LANCE 1230 BEND W/O NOZZL	106403034	1	○	○	○
Surface Cleaning Rotary						
	HYDROSCRUB P400 W/O NOZZLES	106403157	0	○	○	○
	HYDROSCRUB P500M Ø500 W/WHEELS W/O NOZZL	106403159	0	○	○	○

● Standard equipment, ○ Supplementary accessories, □ Mountable equipment











Accessories		Ref. no.	Min. required	MH 5M-210/1110 X 400/3/50 EU	MH 5M-210/1110 230-400/3/50 NO	MH 5M-210/1110 X 230-400/3/50 NO
Special Nozzle						
	CONTAINER CLEANING NOZZLE	15861	1	○	○	○
	NOZZLE FOR LONG LANCEJET 6-7 M	2802696	1	○	○	○
	NOZZLE PROTECTION CAP PA	18430	1	○	○	○
	NOZZLE STEAM JET Ø1.5MM 50GR 1/8	6692	0	○	○	○












High cleaning performance and heating effect combined with long lifetime and robustness

Accessories		Ref. no.	Min. required	MH 5M-210/1110 X 400/3/50 EU	MH 5M-210/1110 230-400/3/50 NO	MH 5M-210/1110 X 230-400/3/50 NO
	VARIO-NOZZLE CASING 1/8	5888	1	○	○	○
Hose and Connection						
	NILFISK BA VALVE COMP. GARDENA	106411177	0	○	○	○
	NILFISK BA VALVE COMP. GEKA	106411179	0	○	○	○
	NILFISK BA VALVE COMP. NITO	106411178	0	○	○	○
	NILFISK BA VALVE WO COUPLER	106411184	0	○	○	○
	WATER INLET HOSE 3/4 P/	6465	1	○	○	○
High Pressure Male Coupling						
	ADAPTER KEW QUICK COUPLING MALE 3/8	66159	1	○	○	○
	ADAPTOR 3/8 INCH MALE FOR HOSE	6401067	1	○	○	○
	ADAPTOR KEW GUN TO WAP ACCESS.	66161	1	○	○	○
	GARDENA COUPLING HOSE END 1/2 BULK	1608629	1	○	○	○
	GEKA COUPLING HOSE END 3/4	1311	1	○	○	○
	LP NIPPLE F. Q.-COUPLING 3/4IN	1600659	1	○	○	○

High cleaning performance and heating effect combined with long lifetime and robustness












Accessories		Ref. no.	Min. required	MH 5M-210/1110 X 400/3/50 EU	MH 5M-210/1110 230-400/3/50 NO	MH 5M-210/1110 X 230-400/3/50 NO
	NITO COUPLING HOSE END 1	1604669	1	○	○	○
High Pressure Female Coupling						
	ADAPTER KEW QUICK COUPLING FEMALE 3/8	66160	1	○	○	○
	ADAPTER WAP GUN COUPLING FEMALE M21X1.5	66162	1	○	○	○
	COUPLING GEKA FEMALE - INT THREAD 3/4 IN	1718	1	○	○	○
	GARDENA MALE 3/4 INCH	32541	1	○	○	○
	HOSE NOZZLE 20R3/4	61369	1	●	●	●
	QUICK COUPLING 3/4 W/GASKET	1602945	1	○	○	○
Standard Nozzle 25° 1/8" NPT						
	HP NOZZLE 25050 1/8 INCH NPT	7813	1			
	HP NOZZLE 25055 1/8 INCH NPT	7814	1	○	○	○
Abrasive Blasting						
	ARMEX-POWDER	5218617	1			
	BORONCARBIDE FLAT NOZZLE VSB	6400379	1	○	○	○

High cleaning performance and heating effect combined with long lifetime and robustness











Accessories	Ref. no.	Min. required	MH 5M-210/1110 X 400/3/50 EU	MH 5M-210/1110 230-400/3/50 NO	MH 5M-210/1110 X 230-400/3/50 NO
 LANCE SOFTBLASTING W. NOZZLE 05	6401233	1			
 LANCE WITH RUBBER FLAT NOZZLE 05	6401364	1			
 LANCE WITH RUBBER FLAT NOZZLE 06	6401365	1	○	○	○
 NOZZLE FOR WSB - FLAT RUBBER 10 PC.	6402317	1	○	○	○
 SAND PLUGGER AND HOSE VSB	6400375	1			
 SOFT BLASTING LANCE 06 NOZZLE	6401234	1	○	○	○
SUPER BLAST 25KG	8379	1			
Detergent					
 ALTO ACIDO 10 L	81204	1	○	○	○
 ALTO ACTIVE WAX 10 L	81177	1	○	○	○
 ALTO ALLOSIL 10 L	81237	1	○	○	○
 ALTO ANTI-STONE 10 L	80919	1	○	○	○
 ALTO COMBI ACTIVE 10L	81172	1	○	○	○














High cleaning performance and heating effect combined with long lifetime and robustness

Accessories	Ref. no.	Min. required	MH 5M-210/1110 X 400/3/50 EU	MH 5M-210/1110 230-400/3/50 NO	MH 5M-210/1110 X 230-400/3/50 NO
 ALTO INTENSIVE 10 L	81137	1	○	○	○
 ALTO J 25 MULTI 10 L	80923	1	○	○	○
 ALTO RIMTOP 10 L	80935	1	○	○	○
 ALTO SAPPHIRE 10 L	81180	1	○	○	○
 ALTO STONE-EX 10 L	81191	1	○	○	○
 ALTO SUPERPLUS 10 L	81170	1	○	○	○
 ALTO UNIVERSAL 10 L	80930	1	○	○	○
 ANTI-STONE SET-6X1 L	8466	1	○	○	○
 AUTO ACTIVE 10 L	81136	1	○	○	○
Brush Washing					
 BRUSH INSERT	10356	1	○	○	○
 WASH BRUSH - ERGO - UNIVERSAL LANCE	14202	1	○	○	○











High cleaning performance and heating effect combined with long lifetime and robustness

Accessories		Ref. no.	Min. required	MH 5M-210/1110 X 400/3/50 EU	MH 5M-210/1110 230-400/3/50 NO	MH 5M-210/1110 X 230-400/3/50 NO
	WASH BRUSH L1550 MM	6400088	1	○	○	○
	WASH BRUSH L2350 MM	6400087	1	○	○	○
Standard Nozzle 0° 1/8" NPT						
	HP-NOZZLE 0050 1/8	17387	1			
Standard Nozzle 15° 1/4" NPT						
	HP NOZZLE 15050 1/8	41394	1			
External Control Unit						
	COUNTER-H 24V50HZ 7ST.	42628	1	○	○	○
	REMOTE CONTROL 1X DETERGENT	301001355	1	○	○	○
	REMOTE CONTROL 2X DETERGENT	301001356	1	○	○	○
Drain and Pipe Cleaning						
	DRAIN CLEANER 05 20M HOSE	6401266	1			
	DRAIN CLEANER 06 20M HOSE	6401268	1	○	○	○
	DRAIN NOZZLE 05 3/8	2800084	1			












High cleaning performance and heating effect combined with long lifetime and robustness

Accessories	Ref. no.	Min. required	MH 5M-210/1110 X 400/3/50 EU	MH 5M-210/1110 230-400/3/50 NO	MH 5M-210/1110 X 230-400/3/50 NO
 DRAIN NOZZLE 06. 3/8	2800894	1	○	○	○
 HOSE DN10 10M W.05 DRAIN NOZZ.W.1/4 NIPP	6401265	1			
 PIPE CLEANING HOSE 4X10M	301002490	1	○	○	○
 PIPE CLEANING HOSE 4X20M	301002491	1	○	○	○
 PIPE CLEANING NOZZLE 1/8INC IG DN4	46921	1			
 PIPE CLEANING ROTATY NOZZLE 1/8INC IG DN	46918	1			
TurboHammer Nozzle					
 NOZZLE TURBOHAMMER HEAD .0450 W11	48874	1	○	○	○
 NOZZLE TURBOHAMMER HEAD .0550 W11	48875	1	○	○	○
 NOZZLE TURBOHAMMER HEAD .0550 W12	49287	1	○	○	○
 TURBOHAMMER NOZZLE W11 050	48872	1			
 TURBOHAMMER NOZZLE W12 050	301001108	1			
FlexoPower Lance					

High cleaning performance and heating effect combined with long lifetime and robustness











Accessories		Ref. no.	Min. required	MH 5M-210/1110 X 400/3/50 EU	MH 5M-210/1110 230-400/3/50 NO	MH 5M-210/1110 X 230-400/3/50 NO
	FLEXOPOWER HOUSE F.NZ 1/8 OUTS. THREAD	63251	1	○	○	○
	FLEXOPOWER PLUS 960 BEND W/O NOZZLE	106402282	1	○	○	○
	FLEXOPOWER PLUS 990 BEND W/O NOZ.	106402281	1	○	○	○
Filter Pressure Washer						
	CARTRIDGE FILTER REPLACEM. 50 µM	1104041	1	○	○	○
	SAND FILTER 50 MICRON GEKA MH	106402200	1	○	○	○
	SAND FILTER 50MICRON UNIVERSAL	1604461	1	○	○	○
	WATER FILTER COMPLETE	107145802	0	○	○	○
Non Blacking High Pressure Hose, DN10						
	20 M 2 WIRE HOSE 3/8 FOOD	1401991	1	○	○	○
	25 M 2 WIRE HOSE 3/8 FOOD	1402007	1	○	○	○
	30 M 2 WIRE HOSE 3/8 FOOD	1402015	1	○	○	○
	HOSE DN10 10 M 2W 3/8X3/8 GRAU-FOOD	6101767	1	○	○	○

High cleaning performance and heating effect combined with long lifetime and robustness












Accessories		Ref. no.	Min. required	MH 5M-210/1110 X 400/3/50 EU	MH 5M-210/1110 230-400/3/50 NO	MH 5M-210/1110 X 230-400/3/50 NO
	HOSE DN10 15 M 2W 3/8X3/8 GRAY-FOOD	1401983	1	○	○	○
High Pressure Hose, DN10						
	2 M 2 WIRE HOSE 3/8 DN10	1402924	1	○	○	○
	3 M 2 WIRE HOSE 3/8 DN10	1402932	1	○	○	○
	5 M 2 WIRE HOSE 3/8 DN10	1402940	1	○	○	○
	25 M 2 WIRE HOSE 3/8 DN10	1402080	1	○	○	○
	30 M 2 WIRE HOSE 3/8 DN10	1402098	1	○	○	○
	50 M 2 WIRE HOSE 3/8 DN10	1402759	1	○	○	○
	HOSE DN10 10 M 2W 3/8X3/8 INCH	6101766	1	○	○	○
	HP HOSE 3/8INCH 1M DN10. COMPL.	1402916	1	○	○	○
	HP HOSE DN10 150DEG L15000mm	1402064	1	○	○	○
	M 20 WIRE HOSE 3/8 DN10	1402072	1	○	○	○
High Pressure Hose, DN8						












High cleaning performance and heating effect combined with long lifetime and robustness

Accessories		Ref. no.	Min. required	MH 5M-210/1110 X 400/3/50 EU	MH 5M-210/1110 230-400/3/50 NO	MH 5M-210/1110 X 230-400/3/50 NO
	10 M 1 WIRE HOSE 5/16 DN8	1405569	1	○	○	○
	HOSE DN8 1 WIRE 10M W.ERGO FEMALE COUPL.	101405770	1	○	●	○
	HOSE DN8 1 WIRE 15M W.ERGO FEMALE COUPL.	301001100	1	○	○	○
	HOSE DN8 1 WIRE 20M W.ERGO FEMALE COUPL.	301001101	1	●	○	●
	HOSE DN8 20 M 1W - 3/8X3/8	1405666	1	○	○	○
Ergo System Coupling and Adapter						
	COUPLING - FEMALE/Q-COUPPL 3/8 INCH	106402075	1	○	○	○
	ERGO COUPLING KIT	101119496	1	●	●	●
	HIGH PRESSURE COUPLINGS KIT	101119499	1	○	○	○
	Nippel F. Q-COUPPL. 3/8 INCH	1600493	1	○	○	○
	NIPPLE F/QUICK COUPLING 3/8 SS	1603101	1	○	○	○
	PACKING RING 23.8X17.2X2 3/8 INCH St-NBR	1801075	0	○	○	○
High Pressure Hose, DN12						











High cleaning performance and heating effect combined with long lifetime and robustness

Accessories		Ref. no.	Min. required	MH 5M-210/1110 X 400/3/50 EU	MH 5M-210/1110 230-400/3/50 NO	MH 5M-210/1110 X 230-400/3/50 NO
	10 M 2 WIRE HOSE 1/2 DN12	4810219	0	○	○	○
	20 M 2 WIRE HOSE 1/2 DN12	4810214	0	○	○	○
Brush Rotary						
	BRISTLE. LONG	6401431	1	○	○	○
	BRUSH HEAD - SHORT BRASS BRISTLE	6401433	1	○	○	○
	NYLON. BRISTLE FOR ROTARY	6401432	1	○	○	○
	ROTARY BRUSH 055 1700MM	6400019	1	○	○	○
	ROTARY BRUSH 055 L800 MM	6400018	1	○	○	○
Hose Reel						
	CLEANING TROLLEY SS W/HOSE REEL FOAM IN	6401094	1	○	○	○
	HOSE CORD REEL SET	301001130	1	○	○	○
	HOSE REEL 20M SET	301001131	1	○	○	○
	HOSE REEL RETRACTABLE SS W/O HOSE	106403168	0		○	










High cleaning performance and heating effect combined with long lifetime and robustness

Accessories	Ref. no.	Min. required	MH 5M-210/1110 X 400/3/50 EU	MH 5M-210/1110 230-400/3/50 NO	MH 5M-210/1110 X 230-400/3/50 NO
 HOSE TROLLEY UP TO 50 M 3/8	6400170	1	○	○	○
 HOSEREEL BLUE.PAINT RETRACTAB.W/20M HOSE	106403131	0		○	
Special Lance					
 CURVED LANCE L1090 MM	6402016	1	○	○	○
 LANCE SINGLE 1500MM W/O NOZZLE	6401193	1	○	○	○
Injector and Foam Sprayer					
 BOTTLE FOR FOAM SPRAYER 2 L	106408164	0	○	○	○
 EXTENSION HOSE 30 CM WITH ERGO COUPLINGS	301001311	1	○	○	○
 FOAM INJECTOR AGRESSIVE LQDS	6401245	1	○	○	○
 FOAM INJECTOR W BYPASS	6401242	1	○	○	○
 FOAM INJECTOR W BYPASS S. S	6401243	1	○	○	○
 FOAM INJECTOR STANDARD	6401244	1	○	○	○
 FOAM LANCE COMPLETE L600 MM	6404368	1	○	○	○











High cleaning performance and heating effect combined with long lifetime and robustness

Accessories		Ref. no.	Min. required	MH 5M-210/1110 X 400/3/50 EU	MH 5M-210/1110 230-400/3/50 NO	MH 5M-210/1110 X 230-400/3/50 NO
	FOAM LANCE COMPLETE L1200 MM	6404369	1	○	○	○
	FOAM SPRAYER 2 L. DOSING 1-10 MAX 17 L/M	106408160	0	○	○	○
Other						
	CRANE LIFTING EYE	301001090	1	○	○	○
	EXHAUST PIPE 148X197	301001089	1	○	○	○
	WATER SUCTION KIT 300 L/MIN 06	6402018	1	○	○	○
Liquid Sprayer						
	KEW LIQUID SPRAYER 5S	7110005	0	○	○	○
	KEW LIQUID SPRAYER 10SP	7110010	0	○	○	○
	KEW LIQUID SPRAYER 20S	7110020	0	○	○	○
Spray Gun						
	ERGO 2000 STANDARD W. HOSE SWIVEL	106403122	1	●	●	●
	REP. KIT SWIVEL JOINT	101119484	1	○	○	○
	SIDE BAR COMPL.	106402110	1	○	○	○

High cleaning performance and heating effect combined with long lifetime and robustness

Accessories		Ref. no.	Min. required	MH 5M-210/1110 X 400/3/50 EU	MH 5M-210/1110 230-400/3/50 NO	MH 5M-210/1110 X 230-400/3/50 NO
	SPRAY HANDLE W. SWIVEL LOCK	106402190	1	○	○	○
Tornado Nozzle with Indication Ring						
	NOZZLE 0500 INDICATION RING YELLOW	101119741	1			
	NOZZLE 0550 INDICATION RING NEONGREEN	101119743	1	●	●	●
	NOZZLE PROTECTION F. TORNADOL.	106402425	1	○	○	○
Short Lance						
	DOUBLE LANCE W/O NOZZLE 90MM	106402150	1	○	○	○
	SINGLE LANCE W/O NOZZLE 90MM	106402151	1	○	○	○
TurboHammer Lance						
	TURBOHAMMER PLUS 1125 STRAIGHT W11 0550	106402292	1	○	○	○
	TURBOHAMMER PLUS 1125 STRAIGHT W11 0500	106402291	1			
	TURBOHAMMER PLUS 1130 STRAIGHT W12 0500	106403003	1			
Tornado Lance						
	TORNADO PLUS 630 STRAIGHT W/O NOZZLE	106403013	1	○	○	○
	TORNADO PLUS 1000 BEND W/O NOZZLE	106403011	1	○	○	○
	TORNADO PLUS 1120 BEND W/O NOZZLE	106403010	1	●	●	●











High cleaning performance and heating effect combined with long lifetime and robustness

Accessories		Ref. no.	Min. required	MH 5M-210/1110 X 400/3/50 EU	MH 5M-210/1110 230-400/3/50 NO	MH 5M-210/1110 X 230-400/3/50 NO
	TORNADO PLUS 2080 BEND W/O NOZZLE	106403012	1	○	○	○
PowerSpeed Vario Lance						
	POWERSPEED VARIO PLUS 770 BEND 0500	106403023	1			
	POWERSPEED VARIO PLUS 1090 BEND 0500	106403093	1			
Universal Lance						
	UNIVERSAL PLUS 650 W/O NOZZLE STRAIGHT	106403032	1	○	○	○
	UNIVERSAL PLUS 1080 W/O NOZZ STRAIGHT	106403033	1	○	○	○
	UNIVERSAL PLUS 1560 W/O NOZZLE STRAIGHT	106403031	1	○	○	○
	UNIVERSAL PLUS 2060 W/O NOZZLE STRAIGHT	106403030	1	○	○	○
	UNIVERSAL PLUS LANCE 940 BEND W/O NOZZ	106403036	1	○	○	○
	UNIVERSAL PLUS LANCE 1080 BEND W/O NOZZ	106403035	1	○	○	○
	UNIVERSAL PLUS LANCE 1230 BEND W/O NOZZL	106403034	1	○	○	○
Surface Cleaning Rotary						
	HYDROSCRUB P400 W/O NOZZLES	106403157	0	○	○	○
	HYDROSCRUB P500M Ø500 W/WHEELS W/O NOZZL	106403159	0	○	○	○














High cleaning performance and heating effect combined with long lifetime and robustness

● Standard equipment, ○ Supplementary accessories, □ Mountable equipment

Accessories	Ref. no.	Min. required	MH 5M-210/1110 220-440/3/60 EXPT	MH 5M-170/910 200/3/50 JP	MH 5M-170/910 200/3/60 JP
Special Nozzle					
 CONTAINER CLEANING NOZZLE	15861	1	○	○	○
 NOZZLE FOR LONG LANCEJET 6-7 M	2802696	1	○	○	○
 NOZZLE PROTECTION CAP PA	18430	1	○	○	○
 NOZZLE STEAM JET Ø1.5MM 50GR 1/8	6692	0	○	○	○
 VARIO-NOZZLE CASING 1/8	5888	1	○	○	○
Hose and Connection					
 NILFISK BA VALVE COMP. GARDENA	106411177	0	○	○	○
 NILFISK BA VALVE COMP. GEKA	106411179	0	○	○	○
 NILFISK BA VALVE COMP. NITO	106411178	0	○	○	○
 NILFISK BA VALVE WO COUPLER	106411184	0	○	○	○
WATER INLET HOSE 3/4 P/	6465	1	○	○	○
High Pressure Male Coupling					
 ADAPTER KEW QUICK COUPLING MALE 3/8	66159	1	○	○	○













High cleaning performance and heating effect combined with long lifetime and robustness

Accessories	Ref. no.	Min. required	MH 5M-210/1110 220-440/3/60 EXPT	MH 5M-170/910 200/3/50 JP	MH 5M-170/910 200/3/60 JP
 ADAPTOR 3/8 INCH MALE FOR HOSE	6401067	1	○	○	○
 ADAPTOR KEW GUN TO WAP ACCESS.	66161	1	○	○	○
GARDENA COUPLING HOSE END 1/2 BULK	1608629	1	○	○	○
 GEKA COUPLING HOSE END 3/4	1311	1	○	○	○
 LP NIPPLE F. Q.-COUPLING 3/4IN	1600659	1	○	●	●
 NITO COUPLING HOSE END 1	1604669	1	○	○	○
High Pressure Female Coupling					
 ADAPTER KEW QUICK COUPLING FEMALE 3/8	66160	1	○	○	○
 ADAPTER WAP GUN COUPLING FEMALE M21X1.5	66162	1	○	○	○
 COUPLING GEKA FEMALE - INT THREAD 3/4 IN	1718	1	○	○	○
 GARDENA MALE 3/4 INCH	32541	1	○	○	○
 HOSE NOZZLE 20R3/4	61369	1	●	○	○
 QUICK COUPLING 3/4 W/GASKET	1602945	1	○	●	●
Standard Nozzle 25° 1/8" NPT					














High cleaning performance and heating effect combined with long lifetime and robustness

Accessories		Ref. no.	Min. required	MH 5M-210/1110 220-440/3/60 EXPT	MH 5M-170/910 200/3/50 JP	MH 5M-170/910 200/3/60 JP
	HP NOZZLE 25050 1/8 INCH NPT	7813	1		○	○
	HP NOZZLE 25055 1/8 INCH NPT	7814	1	○		
Abrasive Blasting						
	ARMEX-POWDER	5218617	1		○	○
	BORONCARBIDE FLAT NOZZLE VSB	6400379	1	○	○	○
	LANCE SOFTBLASTING W. NOZZLE 05	6401233	1		○	○
	LANCE WITH RUBBER FLAT NOZZLE 05	6401364	1		○	○
	LANCE WITH RUBBER FLAT NOZZLE 06	6401365	1	○		
	NOZZLE FOR WSB - FLAT RUBBER 10 PC.	6402317	1	○	○	○
	SAND PLUGGER AND HOSE VSB	6400375	1		○	○
	SOFT BLASTING LANCE 06 NOZZLE	6401234	1	○		
	SUPER BLAST 25KG	8379	1		○	○
Detergent						
	ALTO ACIDO 10 L	81204	1	○	○	○













High cleaning performance and heating effect combined with long lifetime and robustness












Accessories	Ref. no.	Min. required	MH 5M-210/1110 220-440/3/60 EXPT	MH 5M-170/910 200/3/50 JP	MH 5M-170/910 200/3/60 JP
 ALTO ACTIVE WAX 10 L	81177	1	○	○	○
 ALTO ALLOSIL 10 L	81237	1	○	○	○
 ALTO ANTI-STONE 10 L	80919	1	○	○	○
 ALTO COMBI ACTIVE 10L	81172	1	○	○	○
 ALTO INTENSIVE 10 L	81137	1	○	○	○
 ALTO J 25 MULTI 10 L	80923	1	○	○	○
 ALTO RIMTOP 10 L	80935	1	○	○	○
 ALTO SAPPHIRE 10 L	81180	1	○	○	○
 ALTO STONE-EX 10 L	81191	1	○	○	○
 ALTO SUPERPLUS 10 L	81170	1	○	○	○
 ALTO UNIVERSAL 10 L	80930	1	○	○	○
 ANTI-STONE SET-6X1 L	8466	1	○	○	○













High cleaning performance and heating effect combined with long lifetime and robustness

Accessories	Ref. no.	Min. required	MH 5M-210/1110 220-440/3/60 EXPT	MH 5M-170/910 200/3/50 JP	MH 5M-170/910 200/3/60 JP
 AUTO ACTIVE 10 L	81136	1	○	○	○
Brush Washing					
 BRUSH INSERT	10356	1	○	○	○
 WASH BRUSH - ERGO - UNIVERSAL LANCE	14202	1	○	○	○
 WASH BRUSH L 1550 MM	6400088	1	○	○	○
 WASH BRUSH L 2350 MM	6400087	1	○	○	○
Standard Nozzle 0° 1/8" NPT					
 HP-NOZZLE 0050 1/8	17387	1		○	○
Standard Nozzle 15° 1/4" NPT					
 HP NOZZLE 15050 1/8	41394	1		○	○
External Control Unit					
 COUNTER-H 24V50HZ 7ST.	42628	1	○	○	○
 REMOTE CONTROL 1X DETERGENT	301001355	1	○	○	○
 REMOTE CONTROL 2X DETERGENT	301001356	1	○	○	○
Drain and Pipe Cleaning					












High cleaning performance and heating effect combined with long lifetime and robustness

Accessories	Ref. no.	Min. required	MH 5M-210/1110 220-440/3/60 EXPT	MH 5M-170/910 200/3/50 JP	MH 5M-170/910 200/3/60 JP
 DRAIN CLEANER 05 20M HOSE	6401266	1		○	○
 DRAIN CLEANER 06 20M HOSE	6401268	1	○		
 DRAIN NOZZLE 05 3/8	2800084	1		○	○
 DRAIN NOZZLE 06 3/8	2800894	1	○		
 HOSE DN10 10M W.05 DRAIN NOZZ.W.1/4 NIPP	6401265	1		○	○
 PIPE CLEANING HOSE 4X10M	301002490	1	○	○	○
 PIPE CLEANING HOSE 4X20M	301002491	1	○	○	○
 PIPE CLEANING NOZZLE 1/8INC IG DN4	46921	1		○	○
 PIPE CLEANING ROTATY NOZZLE 1/8INC IG DN	46918	1		○	○
TurboHammer Nozzle					
 NOZZLE TURBOHAMMER HEAD .0450 W11	48874	1	○		
 NOZZLE TURBOHAMMER HEAD .0550 W11	48875	1	○		









High cleaning performance and heating effect combined with long lifetime and robustness

Accessories		Ref. no.	Min. required	MH 5M-210/1110 220-440/3/60 EXPT	MH 5M-170/910 200/3/50 JP	MH 5M-170/910 200/3/60 JP
	NOZZLE TURBOHAMMER HEAD .0550 W12	49287	1	○		
	TURBOHAMMER NOZZLE W11 050	48872	1		○	○
	TURBOHAMMER NOZZLE W12 050	301001108	1		○	○
FlexoPower Lance						
	FLEXOPOWER HOUSE F.NZ 1/8 OUTS. THREAD	63251	1	○	○	○
	FLEXOPOWER PLUS 960 BEND W/O NOZZLE	106402282	1	○	○	○
	FLEXOPOWER PLUS 990 BEND W/O NOZ.	106402281	1	○	○	○
Filter Pressure Washer						
	CARTRIDGE FILTER REPLACEM. 50 µM	1104041	1	○	○	○
	SAND FILTER 50 MICRON GEKA MH	106402200	1	○	○	○
	SAND FILTER 50MICRON UNIVERSAL	1604461	1	○	○	○
	WATER FILTER COMPLETE	107145802	0	○	○	○
Non Blacking High Pressure Hose, DN10						
	20 M 2 WIRE HOSE 3/8 FOOD	1401991	1	○	○	○











High cleaning performance and heating effect combined with long lifetime and robustness

Accessories		Ref. no.	Min. required	MH 5M-210/1110 220-440/3/60 EXPT	MH 5M-170/910 200/3/50 JP	MH 5M-170/910 200/3/60 JP
	25 M 2 WIRE HOSE 3/8 FOOD	1402007	1	○	○	○
	30 M 2 WIRE HOSE 3/8 FOOD	1402015	1	○	○	○
	HOSE DN10 10 M 2W 3/8X3/8 GRAU-FOOD	6101767	1	○	○	○
	HOSE DN10 15 M 2W 3/8X3/8 GRAY-FOOD	1401983	1	○	○	○
High Pressure Hose, DN10						
	2 M 2 WIRE HOSE 3/8 DN10	1402924	1	○	○	○
	3 M 2 WIRE HOSE 3/8 DN10	1402932	1	○	○	○
	5 M 2 WIRE HOSE 3/8 DN10	1402940	1	○	○	○
	25 M 2 WIRE HOSE 3/8 DN10	1402080	1	○	○	○
	30 M 2 WIRE HOSE 3/8 DN10	1402098	1	○	○	○
	50 M 2 WIRE HOSE 3/8 DN10	1402759	1	○	○	○
	HOSE DN10 10 M 2W 3/8X3/8 INCH	6101766	1	○	○	○












High cleaning performance and heating effect combined with long lifetime and robustness

Accessories		Ref. no.	Min. required	MH 5M-210/1110 220-440/3/60 EXPT	MH 5M-170/910 200/3/50 JP	MH 5M-170/910 200/3/60 JP
	HP HOSE 3/8INCH 1M DN10. COMPL.	1402916	1	○	○	○
	HP HOSE DN10 150DEG L15000mm	1402064	1	○	○	○
	M 20 WIRE HOSE 3/8 DN10	1402072	1	○	○	○
High Pressure Hose, DN8						
	10 M 1 WIRE HOSE 5/16 DN8	1405569	1	○	○	○
	HOSE DN8 1 WIRE 10M W.ERGO FEMALE COUPL.	101405770	1	●	●	○
	HOSE DN8 1 WIRE 15M W.ERGO FEMALE COUPL.	301001100	1	○	○	○
	HOSE DN8 1 WIRE 20M W.ERGO FEMALE COUPL.	301001101	1	○	○	○
	HOSE DN8 20 M 1W - 3/8X3/8	1405666	1	○	○	○
Ergo System Coupling and Adapter						
	COUPLING - FEMALE/Q-COUPPL 3/8 INCH	106402075	1	○	○	○
	ERGO COUPLING KIT	101119496	1	●	●	●
	HIGH PRESSURE COUPLINGS KIT	101119499	1	○	○	○











High cleaning performance and heating effect combined with long lifetime and robustness

Accessories		Ref. no.	Min. required	MH 5M-210/1110 220-440/3/60 EXPT	MH 5M-170/910 200/3/50 JP	MH 5M-170/910 200/3/60 JP
	Nippel F. Q-COUPL. 3/8 INCH	1600493	1	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
	NIPPLE F/QUICK COUPLING 3/8 SS	1603101	1	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
	PACKING RING 23.8X17.2X2 3/8 INCH St-NBR	1801075	0	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
High Pressure Hose, DN12						
	10 M 2 WIRE HOSE 1/2 DN12	4810219	0	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
	20 M 2 WIRE HOSE 1/2 DN12	4810214	0	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Brush Rotary						
	BRISTLE. LONG	6401431	1	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
	BRUSH HEAD - SHORT BRASS BRISTLE	6401433	1	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
	NYLON. BRISTLE FOR ROTARY	6401432	1	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
	ROTARY BRUSH 055 1700MM	6400019	1	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
	ROTARY BRUSH 055 L800 MM	6400018	1	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Hose Reel						
	CLEANING TROLLEY SS W/HOSE REEL FOAM IN	6401094	1	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>













High cleaning performance and heating effect combined with long lifetime and robustness

Accessories	Ref. no.	Min. required	MH 5M-210/1110 220-440/3/60 EXPT	MH 5M-170/910 200/3/50 JP	MH 5M-170/910 200/3/60 JP
 HOSE CORD REEL SET	301001130	1	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
 HOSE REEL 20M SET	301001131	1	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
 HOSE REEL RETRACTABLE SS W/O HOSE	106403168	0	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
 HOSE TROLLEY UP TO 50 M 3/8	6400170	1	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
 HOSEREEL BLUE.PAINT RETRACTAB.W/20M HOSE	106403131	0	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Special Lance					
 CURVED LANCE L1090 MM	6402016	1	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
 LANCE SINGLE 1500MM W/O NOZZLE	6401193	1	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Injector and Foam Sprayer					
 BOTTLE FOR FOAM SPRAYER 2 L	106408164	0	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
 EXTENSION HOSE 30 CM WITH ERGO COUPLINGS	301001311	1	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
 FOAM INJECTOR AGRESSIVE LQDS	6401245	1	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
 FOAM INJECTOR W BYPASS	6401242	1	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>












High cleaning performance and heating effect combined with long lifetime and robustness

Accessories	Ref. no.	Min. required	MH 5M-210/1110 220-440/3/60 EXPT	MH 5M-170/910 200/3/50 JP	MH 5M-170/910 200/3/60 JP
 FOAM INJECTOR W BYPASS S. S	6401243	1	○	○	○
 FOAM INJECTOR STANDARD	6401244	1	○	○	○
 FOAM LANCE COMPLETE L600 MM	6404368	1	○	○	○
 FOAM LANCE COMPLETE L1200 MM	6404369	1	○	○	○
 FOAM SPRAYER 2 L. DOSING 1-10 MAX 17 L/M	106408160	0	○	○	○
Other					
 CRANE LIFTING EYE	301001090	1	○	○	○
 EXHAUST PIPE 148X197	301001089	1	○	○	○
WATER SUCTION KIT 300 L/MIN 06	6402018	1	○		
Liquid Sprayer					
 KEW LIQUID SPRAYER 5S	7110005	0	○	○	○
 KEW LIQUID SPRAYER 10SP	7110010	0	○	○	○
 KEW LIQUID SPRAYER 20S	7110020	0	○	○	○
Spray Gun					

High cleaning performance and heating effect combined with long lifetime and robustness



Accessories	Ref. no.	Min. required	MH 5M-210/1110 220-440/3/60 EXPT	MH 5M-170/910 200/3/50 JP	MH 5M-170/910 200/3/60 JP
 ERGO 2000 STANDARD W. HOSE SWIVEL	106403122	1	•	•	•
 REP. KIT SWIVEL JOINT	101119484	1	○	○	○
 SIDE BAR COMPL.	106402110	1	○	○	○
 SPRAY HANDLE W. SWIVEL LOCK	106402190	1	○	○	○
Tornado Nozzle with Indication Ring					
 NOZZLE 0500 INDICATION RING YELLOW	101119741	1		•	•
 NOZZLE 0550 INDICATION RING NEONGREEN	101119743	1	•		
 NOZZLE PROTECTION F. TORNADOL.	106402425	1	○	○	○
Short Lance					
 DOUBLE LANCE W/O NOZZLE 90MM	106402150	1	○	○	○
 SINGLE LANCE W/O NOZZLE 90MM	106402151	1	○	○	○
TurboHammer Lance					
 TURBOHAMMER PLUS 1125 STRAIGHT W11 0550	106402292	1	○		
 TURBOHAMMER PLUS 1125 STRAIGHT W11 0500	106402291	1		○	○
 TURBOHAMMER PLUS 1130 STRAIGHT W12 0500	106403003	1		○	○
Tornado Lance					

High cleaning performance and heating effect combined with long lifetime and robustness








Accessories		Ref. no.	Min. required	MH 5M-210/1110 220-440/3/60 EXPT	MH 5M-170/910 200/3/50 JP	MH 5M-170/910 200/3/60 JP
	TORNADO PLUS 630 STRAIGHT W/O NOZZLE	106403013	1	○	○	○
	TORNADO PLUS 1000 BEND W/O NOZZLE	106403011	1	○	○	○
	TORNADO PLUS 1120 BEND W/O NOZZLE	106403010	1	●	●	●
	TORNADO PLUS 2080 BEND W/O NOZZLE	106403012	1	○	○	○
PowerSpeed Vario Lance						
	POWERSPEED VARIO PLUS 770 BEND 0500	106403023	1		○	○
	POWERSPEED VARIO PLUS 1090 BEND 0500	106403093	1		○	○
Universal Lance						
	UNIVERSAL PLUS 650 W/O NOZZLE STRAIGHT	106403032	1	○	○	○
	UNIVERSAL PLUS 1080 W/O NOZZ STRAIGHT	106403033	1	○	○	○
	UNIVERSAL PLUS 1560 W/O NOZZLE STRAIGHT	106403031	1	○	○	○
	UNIVERSAL PLUS 2060 W/O NOZZLE STRAIGHT	106403030	1	○	○	○
	UNIVERSAL PLUS LANCE 940 BEND W/O NOZZ	106403036	1	○	○	○



High cleaning performance and heating effect combined with long lifetime and robustness











Accessories		Ref. no.	Min. required	MH 5M-210/1110 220-440/3/60 EXPT	MH 5M-170/910 200/3/50 JP	MH 5M-170/910 200/3/60 JP
	UNIVERSAL PLUS LANCE 1080 BEND W/O NOZZ	106403035	1	○	○	○
	UNIVERSAL PLUS LANCE 1230 BEND W/O NOZZL	106403034	1	○	○	○
Surface Cleaning Rotary						
	HYDROSCRUB P400 W/O NOZZLES	106403157	0	○	○	○
	HYDROSCRUB P500M Ø500 W/WHEELS W/O NOZZL	106403159	0	○	○	○

● Standard equipment, ○ Supplementary accessories, □ Mountable equipment












Accessories		Ref. no.	Min. required	MH 5M-190/960 230-400/3/50 NO
Special Nozzle				
	CONTAINER CLEANING NOZZLE	15861	1	○
	NOZZLE FOR LONG LANCEJET 6-7 M	2802696	1	○
	NOZZLE PROTECTION CAP PA	18430	1	○
	NOZZLE STEAM JET Ø1.5MM 50GR 1/8	6692	0	○
	VARIO-NOZZLE CASING 1/8	5888	1	○
Hose and Connection				
	NILFISK BA VALVE COMP. GARDENA	106411177	0	○
	NILFISK BA VALVE COMP. GEKA	106411179	0	○














High cleaning performance and heating effect combined with long lifetime and robustness

Accessories		Ref. no.	Min. required	MH 5M-190/960 230-400/3/50 NO
	NILFISK BA VALVE COMP. NITO	106411178	0	○
	NILFISK BA VALVE WO COUPLER	106411184	0	○
	WATER INLET HOSE 3/4 P/	6465	1	○
High Pressure Male Coupling				
	ADAPTER KEW QUICK COUPLING MALE 3/8	66159	1	○
	ADAPTOR 3/8 INCH MALE FOR HOSE	6401067	1	○
	ADAPTOR KEW GUN TO WAP ACCESS.	66161	1	○
	GARDENA COUPLING HOSE END 1/2 BULK	1608629	1	○
	GEKA COUPLING HOSE END 3/4	1311	1	○
	LP NIPPLE F. Q.-COUPLING 3/4IN	1600659	1	○
	NITO COUPLING HOSE END 1	1604669	1	○
High Pressure Female Coupling				
	ADAPTER KEW QUICK COUPLING FEMALE 3/8	66160	1	○
	ADAPTER WAP GUN COUPLING FEMALE M21X1.5	66162	1	○












High cleaning performance and heating effect combined with long lifetime and robustness

Accessories		Ref. no.	Min. required	MH 5M-190/960 230-400/3/50 NO
	COUPLING GEKA FEMALE - INT THREAD 3/4 IN	1718	1	○
	GARDENA MALE 3/4 INCH	32541	1	○
	HOSE NOZZLE 20R3/4	61369	1	●
	QUICK COUPLING 3/4 W/GASKET	1602945	1	○
Standard Nozzle 25° 1/8" NPT				
	HP NOZZLE 25050 1/8 INCH NPT	7813	1	○
	HP NOZZLE 25055 1/8 INCH NPT	7814	1	○
Abrasive Blasting				
	ARMEX-POWDER	5218617	1	○
	BORONCARBIDE FLAT NOZZLE VSB	6400379	1	○
	LANCE SOFTBLASTING W. NOZZLE 05	6401233	1	○
	LANCE WITH RUBBER FLAT NOZZLE 05	6401364	1	○
	LANCE WITH RUBBER FLAT NOZZLE 06	6401365	1	○
	NOZZLE FOR WSB - FLAT RUBBER 10 PC.	6402317	1	○

High cleaning performance and heating effect combined with long lifetime and robustness












Accessories		Ref. no.	Min. required	MH 5M-190/960 230-400/3/50 NO
	SAND PLUGGER AND HOSE VSB	6400375	1	○
	SOFT BLASTING LANCE 06 NOZZLE	6401234	1	
	SUPER BLAST 25KG	8379	1	○
Detergent				
	ALTO ACIDO 10 L	81204	1	○
	ALTO ACTIVE WAX 10 L	81177	1	○
	ALTO ALLOSIL 10 L	81237	1	○
	ALTO ANTI-STONE 10 L	80919	1	○
	ALTO COMBI ACTIVE 10L	81172	1	○
	ALTO INTENSIVE 10 L	81137	1	○
	ALTO J 25 MULTI 10 L	80923	1	○
	ALTO RIMTOP 10 L	80935	1	○
	ALTO SAPPHIRE 10 L	81180	1	○

High cleaning performance and heating effect combined with long lifetime and robustness











Accessories		Ref. no.	Min. required	MH 5M-190/960 230-400/3/50 NO
	ALTO STONE-EX 10 L	81191	1	○
	ALTO SUPERPLUS 10 L	81170	1	○
	ALTO UNIVERSAL 10 L	80930	1	○
	ANTI-STONE SET-6X1 L	8466	1	○
	AUTO ACTIVE 10 L	81136	1	○
Brush Washing				
	BRUSH INSERT	10356	1	○
	WASH BRUSH - ERGO - UNIVERSAL LANCE	14202	1	○
	WASH BRUSH L1550 MM	6400088	1	○
	WASH BRUSH L2350 MM	6400087	1	○
Standard Nozzle 0° 1/8" NPT				
	HP-NOZZLE 0050 1/8	17387	1	○
Standard Nozzle 15° 1/4" NPT				
	HP NOZZLE 15050 1/8	41394	1	○














High cleaning performance and heating effect combined with long lifetime and robustness

Accessories		Ref. no.	Min. required	MH 5M-190/960 230-400/3/50 NO
External Control Unit				
	COUNTER-H 24V50HZ 7ST.	42628	1	○
	REMOTE CONTROL 1X DETERGENT	301001355	1	○
	REMOTE CONTROL 2X DETERGENT	301001356	1	○
Drain and Pipe Cleaning				
	DRAIN CLEANER 05 20M HOSE	6401266	1	○
	DRAIN CLEANER 06 20M HOSE	6401268	1	○
	DRAIN NOZZLE 05 3/8	2800084	1	○
	DRAIN NOZZLE 06. 3/8	2800894	1	○
	HOSE DN10 10M W.05 DRAIN NOZZ.W.1/4 NIPP	6401265	1	○
	PIPE CLEANING HOSE 4X10M	301002490	1	○
	PIPE CLEANING HOSE 4X20M	301002491	1	○
	PIPE CLEANING NOZZLE 1/8INC IG DN4	46921	1	○












High cleaning performance and heating effect combined with long lifetime and robustness

Accessories		Ref. no.	Min. required	MH 5M-190/960 230-400/3/50 NO
	PIPE CLEANING ROTATY NOZZLE 1/8INC IG DN	46918	1	○
TurboHammer Nozzle				
	NOZZLE TURBOHAMMER HEAD .0450 W11	48874	1	
	NOZZLE TURBOHAMMER HEAD .0550 W11	48875	1	
	NOZZLE TURBOHAMMER HEAD .0550 W12	49287	1	
	TURBOHAMMER NOZZLE W11 050	48872	1	○
	TURBOHAMMER NOZZLE W12 050	301001108	1	○
FlexoPower Lance				
	FLEXOPOWER HOUSE F.NZ 1/8 OUTS. THREAD	63251	1	○
	FLEXOPOWER PLUS 960 BEND W/O NOZZLE	106402282	1	○
	FLEXOPOWER PLUS 990 BEND W/O NOZ.	106402281	1	○
Filter Pressure Washer				
	CARTRIDGE FILTER REPLACEM. 50 uM	1104041	1	○
	SAND FILTER 50 MICRON GEKA MH	106402200	1	○












High cleaning performance and heating effect combined with long lifetime and robustness

Accessories		Ref. no.	Min. required	MH 5M-190/960 230-400/3/50 NO
	SAND FILTER 50MICRON UNIVERSAL	1604461	1	○
	WATER FILTER COMPLETE	107145802	0	○
Non Blacking High Pressure Hose, DN10				
	20 M 2 WIRE HOSE 3/8 FOOD	1401991	1	○
	25 M 2 WIRE HOSE 3/8 FOOD	1402007	1	○
	30 M 2 WIRE HOSE 3/8 FOOD	1402015	1	○
	HOSE DN10 10 M 2W 3/8X3/8 GRAU-FOOD	6101767	1	○
	HOSE DN10 15 M 2W 3/8X3/8 GRAY-FOOD	1401983	1	○
High Pressure Hose, DN10				
	2 M 2 WIRE HOSE 3/8 DN10	1402924	1	○
	3 M 2 WIRE HOSE 3/8 DN10	1402932	1	○
	5 M 2 WIRE HOSE 3/8 DN10	1402940	1	○
	25 M 2 WIRE HOSE 3/8 DN10	1402080	1	○












High cleaning performance and heating effect combined with long lifetime and robustness

Accessories		Ref. no.	Min. required	MH 5M-190/960 230-400/3/50 NO
	30 M 2 WIRE HOSE 3/8 DN10	1402098	1	○
	50 M 2 WIRE HOSE 3/8 DN10	1402759	1	○
	HOSE DN10 10 M 2W 3/8X3/8 INCH	6101766	1	○
	HP HOSE 3/8INCH 1M DN10. COMPL.	1402916	1	○
	HP HOSE DN10 150DEG L15000mm	1402064	1	○
	M 20 WIRE HOSE 3/8 DN10	1402072	1	○
High Pressure Hose, DN8				
	10 M 1 WIRE HOSE 5/16 DN8	1405569	1	○
	HOSE DN8 1 WIRE 10M W.ERGO FEMALE COUPL.	101405770	1	●
	HOSE DN8 1 WIRE 15M W.ERGO FEMALE COUPL.	301001100	1	○
	HOSE DN8 1 WIRE 20M W.ERGO FEMALE COUPL.	301001101	1	○
	HOSE DN8 20 M 1W - 3/8X3/8	1405666	1	○
Ergo System Coupling and Adapter				












High cleaning performance and heating effect combined with long lifetime and robustness

Accessories		Ref. no.	Min. required	MH 5M-190/960 230-400/3/50 NO
	COUPLING - FEMALE/Q-COUPPL 3/8 INCH	106402075	1	○
	ERGO COUPLING KIT	101119496	1	●
	HIGH PRESSURE COUPLINGS KIT	101119499	1	○
	Nippel F. Q-COUPPL. 3/8 INCH	1600493	1	○
	NIPPLE F/QUICK COULING 3/8 SS	1603101	1	○
	PACKING RING 23.8X17.2X2 3/8 INCH St-NBR	1801075	0	○
High Pressure Hose, DN12				
	10 M 2 WIRE HOSE 1/2 DN12	4810219	0	○
	20 M 2 WIRE HOSE 1/2 DN12	4810214	0	○
Brush Rotary				
	BRISTLE. LONG	6401431	1	○
	BRUSH HEAD - SHORT BRASS BRISTLE	6401433	1	○
	NYLON. BRISTLE FOR ROTARY	6401432	1	○
	ROTARY BRUSH 055 1700MM	6400019	1	○











High cleaning performance and heating effect combined with long lifetime and robustness

Accessories		Ref. no.	Min. required	MH 5M-190/960 230-400/3/50 NO
	ROTARY BRUSH 055 L800 MM	6400018	1	○
Hose Reel				
	CLEANING TROLLEY SS W/HOSE REEL FOAM IN	6401094	1	○
	HOSE CORD REEL SET	301001130	1	○
	HOSE REEL 20M SET	301001131	1	○
	HOSE REEL RETRACTABLE SS W/O HOSE	106403168	0	○
	HOSE TROLLEY UP TO 50 M 3/8	6400170	1	○
	HOSEREEL BLUE.PAINT RETRACTAB.W/20M HOSE	106403131	0	○
Special Lance				
	CURVED LANCE L1090 MM	6402016	1	○
	LANCE SINGLE 1500MM W/O NOZZLE	6401193	1	○
Injector and Foam Sprayer				
	BOTTLE FOR FOAM SPRAYER 2 L	106408164	0	○
	EXTENSION HOSE 30 CM WITH ERGO COUPLINGS	301001311	1	○

High cleaning performance and heating effect combined with long lifetime and robustness




Accessories		Ref. no.	Min. required	MH 5M-190/960 230-400/3/50 NO
	FOAM INJECTOR AGRESSIVE LQDS	6401245	1	○
	FOAM INJECTOR W BYPASS	6401242	1	○
	FOAM INJECTOR W BYPASS S. S	6401243	1	○
	FOAM INJECTOR STANDARD	6401244	1	○
	FOAM LANCE COMPLETE L600 MM	6404368	1	○
	FOAM LANCE COMPLETE L1200 MM	6404369	1	○
	FOAM SPRAYER 2 L. DOSING 1-10 MAX 17 L/M	106408160	0	○
Other				
	CRANE LIFTING EYE	301001090	1	○
	EXHAUST PIPE 148X197	301001089	1	○
	WATER SUCTION KIT 300 L/MIN 06	6402018	1	
Liquid Sprayer				
	KEW LIQUID SPRAYER 5S	7110005	0	○
	KEW LIQUID SPRAYER 10SP	7110010	0	○

High cleaning performance and heating effect combined with long lifetime and robustness

Accessories		Ref. no.	Min. required	MH 5M-190/960 230-400/3/50 NO
	KEW LIQUID SPRAYER 20S	7110020	0	○
Spray Gun				
	ERGO 2000 STANDARD W. HOSE SWIVEL	106403122	1	●
	REP. KIT SWIVEL JOINT	101119484	1	○
	SIDE BAR COMPL.	106402110	1	○
	SPRAY HANDLE W. SWIVEL LOCK	106402190	1	○
Tornado Nozzle with Indication Ring				
	NOZZLE 0500 INDICATION RING YELLOW	101119741	1	●
	NOZZLE 0550 INDICATION RING NEONGREEN	101119743	1	○
	NOZZLE PROTECTION F. TORNADOL.	106402425	1	○
Short Lance				
	DOUBLE LANCE W/O NOZZLE 90MM	106402150	1	○
	SINGLE LANCE W/O NOZZLE 90MM	106402151	1	○
TurboHammer Lance				
	TURBOHAMMER PLUS 1125 STRAIGHT W11 0550	106402292	1	○
	TURBOHAMMER PLUS 1125 STRAIGHT W11 0500	106402291	1	○






High cleaning performance and heating effect combined with long lifetime and robustness

Accessories		Ref. no.	Min. required	MH 5M-190/960 230-400/3/50 NO
TURBOHAMMER PLUS 1130 STRAIGHT W12 0500		106403003	1	○
Tornado Lance				
	TORNADO PLUS 630 STRAIGHT W/O NOZZLE	106403013	1	○
	TORNADO PLUS 1000 BEND W/O NOZZLE	106403011	1	○
	TORNADO PLUS 1120 BEND W/O NOZZLE	106403010	1	●
	TORNADO PLUS 2080 BEND W/O NOZZLE	106403012	1	○
PowerSpeed Vario Lance				
	POWERSPEED VARIO PLUS 770 BEND 0500	106403023	1	○
	POWERSPEED VARIO PLUS 1090 BEND 0500	106403093	1	○
Universal Lance				
	UNIVERSAL PLUS 650 W/O NOZZLE STRAIGHT	106403032	1	○
	UNIVERSAL PLUS 1080 W/O NOZZ STRAIGHT	106403033	1	○
	UNIVERSAL PLUS 1560 W/O NOZZLE STRAIGHT	106403031	1	○
	UNIVERSAL PLUS 2060 W/O NOZZLE STRAIGHT	106403030	1	○



High cleaning performance and heating effect combined with long lifetime and robustness

Accessories		Ref. no.	Min. required	MH 5M-190/960 230-400/3/50 NO
	UNIVERSAL PLUS LANCE 940 BEND W/O NOZZ	106403036	1	○
	UNIVERSAL PLUS LANCE 1080 BEND W/O NOZZ	106403035	1	○
	UNIVERSAL PLUS LANCE 1230 BEND W/O NOZZL	106403034	1	○
Surface Cleaning Rotary				
	HYDROSCRUB P400 W/O NOZZLES	106403157	0	○
	HYDROSCRUB P500M Ø500 W/WHEELS W/O NOZZL	106403159	0	○

