

The highest performances for total hygiene productions

Model	VHW440	VHW440 5PP	VHW440 IC
Ref. no.	4041200455	4041200459	4041200537

PRODUCT FEATURES

Relief valve			•
M class filter	•	•	•
5 pin plug		•	
Conductive wheels			
InfiniClean			•
Clapet valve			•
Stainless steel dust container (AISI 430)	•	•	•
Stainless steel dust container (AISI 304)			

Model	VHW440 IC 5PP	VHW440 IC Z22 AU	VHW440 IC Z22
Ref. no.	4041200557	4041200693	4041200681

PRODUCT FEATURES

Switch motor protector	•	•	•
Vacuum Meter	•	•	•
HEPA upstream filtration		•	
Earth connection		•	•
Relief valve	•	•	•
M class filter	•	•	•
5 pin plug	•		
Conductive wheels		•	•
InfiniClean	•	•	•
Clapet valve	•	•	•
Stainless steel dust container (AISI 430)	•		
Stainless steel dust container (AISI 304)		•	•

Technical specifications	VHW440	VHW440 5PP	VHW440 IC
Voltage (V)	400	400	400
Frequency (Hz)	50	50	50
Ip protection class	55	55	55
Insulation class	F	F	F
Rated power (kW)	4	4	4
Airflow without hose (l/sec)	95	95	95
Vacuum max (kPa)	30	30	19
Sound pressure level at 1.5 m (dB(A) ISO 3744)	67	67	67



The highest performances for total hygiene productions

Technical specifications	VHW440	VHW440 5PP	VHW440 IC
Container capacity (l)	48	48	48
Main filter type	M CLASS CONICAL CARTRIDGES	M CLASS CONICAL CARTRIDGES	M CLASS CONICAL CARTRIDGES
Main filter area (cm ²)	20.000	20.000	25.000
Upstream HEPA filter H14 (cm ²)	NO	NO	NO
Downstream HEPA filter H14 (cm ²)	NO	NO	NO
Inlet (mm)	70	70	70
Length x width x height (cm)	90 x 50 x 139	90 x 50 x 139	97 x 54 x 156
Weight (kg)	113	113	143
Vacuum gauge (filter surveillance)	YES	YES	YES


Technical specifications	VHW440 IC 5PP	VHW440 IC Z22 AU	VHW440 IC Z22
Voltage (V)	400	400	400
Frequency (Hz)	50	50	50
Ip protection class	55	55	55
Insulation class	F	F	F
Rated power (kW)	4	4	4
Airflow without hose (l/sec)	95	95	95
Vacuum max (kPa)	19	19	19
Sound pressure level at 1.5 m (dB(A) ISO 3744)	67	67	67
Container capacity (l)	48	48	48
Main filter type	M CLASS CONICAL CARTRIDGES	M CLASS CONICAL CARTRIDGES	M CLASS CONICAL CARTRIDGES
Main filter area (cm ²)	25.000	25.000	25.000
Upstream HEPA filter H14 (cm ²)	NO	20.000	NO
Downstream HEPA filter H14 (cm ²)	NO	NO	NO
Inlet (mm)	70	70	70
Length x width x height (cm)	97 x 54 x 156	97 x 54 x 156	97 x 54 x 156
Weight (kg)	143	143	141
Vacuum gauge (filter surveillance)	YES	YES	YES

● Standard equipment, ○ Supplementary accessories, □ Mountable equipment


Accessories	Ref. no.	Min. required	VHW440	VHW440 5PP	VHW440 IC
Nozzle					
	NOTCHED NOZZLE D50	80640500	1	○	○















The highest performances for total hygiene productions

Accessories		Ref. no.	Min. required	VHW440	VHW440 5PP	VHW440 IC
	NOZZLE BRUSH50MM ST. STEEL FLAT 300MM B	22432907	1	○	○	○
	NOZZLE LIPS 50MM ST. STEEL FLAT 300MM D	22432301	1	○	○	○
Pipe Cleaner Nozzle						
	NOZZLE BRUSH50MM FE/ZN FOR PIPE 100MM G	22432400	1	○	○	○
	NOZZLE BRUSH50MM FE/ZN FOR PIPE 200MM G	22432500	1	○	○	○
	NOZZLE BRUSH50MM FE/ZN FOR PIPE 300MM G	22432600	1	○	○	○
Extension Tube						
	ALUM.EXTENSION D40 MT1 INLET PIN M/F	Z7 22386	1	○	○	○
	ALUMINIUM EXTENSION D50 MT1 INLET PIN	Z7 22385	1	○	○	○
	FLAT LANCE D50 INOX	40000220	1	○	○	○
	HANDGRIP D50 ALUMINIUM COMPLETE	Z7 22025	1	○	○	○
	HANDGRIP D50 INOX COMPLETE	40000222	1	○	○	○
	HANDGRIP D70 ALUMINIUM COMPLETE	Z7 22091	1	○	○	○
Vac Nozzle Dry						
	MOB.SUCKER STRIP D40 MM400 FE COMPLETE	Z7 22138	1	○	○	○
	MOB.SUCKER STRIP D50 MM300 FE COMPLETE	Z7 22175	1	○	○	○

The highest performances for total hygiene productions

Accessories		Ref. no.	Min. required	VHW440	VHW440 5PP	VHW440 IC
	MOB.SUCKER STRIP D50 MM400 FE COMPLETE	Z7 22137	1	○	○	○
	MOB.SUCKER STRIP D50 MM500 FE COMPLETE	Z7 22148	1	○	○	○
	MOB.SUCKER STRIP D70 MM500 FE COMPLETE	Z7 22149	1	○	○	○
	MOBILE SUCKER D50 MM400 INOX COMPLETE	40000223	1	○	○	○
Bag						
	5PCS PAPER BAGS GS82	81584000	1	□	□	□
	DUST SAFE BAG SYSTEM D.3-460 ANTISTATIC	Z8 40874	1	□	□	□
Vacuum Hose and Connection						
	BENT CONNECTION D50 FE	Z7 21012	1	○	○	○
	BENT CONNECTION D50/40 Z.PLT.	Z7 22015	1	○	○	○
	BENT CONNECTION D50/70 FE	Z7 22153	1	○	○	○
	BENT CONNECTION D70 FE	Z7 21032	1	○	○	○
	CONNECTION JOINT D50 FE	Z7 21002	1	○	○	○
	CONNECTION JOINT D50 INOX	Z7 22241	1	○	○	○
	CONNECTION JOINT D70 FE	Z7 21000	1	○	○	○
	CONNECTION JOINT D70 INOX	Z7 22242	1	○	○	○






The highest performances for total hygiene productions

Accessories	Ref. no.	Min. required	VHW440	VHW440 5PP	VHW440 IC
 CONNECTION TUBE D50 INOX	Z7 22230	1	○	○	○
 CONNECTION TUBE D70 STEEL	Z7 21001	1	○	○	○
 CONNECTION TUBE REG. D70 INOX COMPLETE	Z7 22222	1	○	○	○
 CONNECTION TUBE REGULAT. D70 COMPLETE	Z7 22113	1	○	○	○
 HOSE FITTING D50 PIN M	4072200388	1	○	○	○
 REDUCER D70/50 INOX	Z7 22225	1	○	○	○
 REDUCER IRON D70/50	Z7 22001	1	○	○	○
 REDUCER REGULATION D70/50 COMPLETE	Z7 22162	1	○	○	○
 REDUCTION 40/38 PIN M	4072200389	1	○	○	○
 REG. REDUCER D70/50 INOX COMPLETE	Z7 22236	1	○	○	○
 TRIFURCATION D70/50/50/50 FE	Z7 22259	1	○	○	○
 WYE D70/50/50 INOX	Z7 22263	1	○	○	○




The highest performances for total hygiene productions

Accessories		Ref. no.	Min. required	VHW440	VHW440 5PP	VHW440 IC
	WYE D70/50/50 ZINC PLT.	Z7 22064	1	○	○	○
	WYE D70/70/70	Z7 22110	1	○	○	○
	WYE D70/70/70 INOX	Z7 22282	1	○	○	○
	WYE REG.70/50/50 INOX COMPLETE	Z7 22249	1	○	○	○
	WYE+REG.D70/50/50 FE COMPLETE	Z7 22065	1	○	○	○
Crevice Nozzle						
	FLAT LANCE D50 ZINC PLT.	Z7 21026	1	○	○	○
	FLAT LANCE D70 ZINC PLT.	Z7 21028	1	○	○	○
	FLAT LANCE FITTING D.50 FE	Z7 21075	1	○	○	○
Cone Nozzle						
	CONIC TUBE D40 SYLICONE	Z7 21086	1	○	○	○
Hose Vacuum Cleaner						
	POL HOSE D50 MT5+SLEEVES	Z7 22366	1	○	○	○
	POL HOSE D70 MT5+SLEEVES	Z7 22367	1	○	○	○

The highest performances for total hygiene productions













Accessories		Ref. no.	Min. required	VHW440	VHW440 5PP	VHW440 IC
	SILICON HOSE D.50 BY MT.	4072400220	1	○	○	○
	TUBE D50 ATOXIC ANTISTATIC IN METERS	Z7 24029	1	○	○	○
	TUBE D50 POLYURETHAN MT3+SLEEV	Z7 22298	1	○	○	○
	TUBE D70 ATOXIC ANTISTATIC IN METERS	Z7 24030	1	○	○	○
	TUBE D70 POLYURETHAN MT3+SLEEV	Z7 22299	1	○	○	○
Filter						
	SAFE BAG D.460 STD WITH SAFETY BELT	4084001244	1	□	□	□

● Standard equipment, ○ Supplementary accessories, □ Mountable equipment

Accessories		Ref. no.	Min. required	VHW440 IC 5PP	VHW440 IC Z22 AU	VHW440 IC Z22
Nozzle						
	NOTCHED NOZZLE D50	80640500	1	○	○	○
	NOZZLE BRUSH50MM ST. STEEL FLAT 300MM B	22432907	1	○	○	○
	NOZZLE LIPS 50MM ST. STEEL FLAT 300MM D	22432301	1	○	○	○
Pipe Cleaner Nozzle						
	NOZZLE BRUSH50MM FE/ZN FOR PIPE 100MM G	22432400	1	○	○	○
	NOZZLE BRUSH50MM FE/ZN FOR PIPE 200MM G	22432500	1	○	○	○
	NOZZLE BRUSH50MM FE/ZN FOR PIPE 300MM G	22432600	1	○	○	○
Extension Tube						





The highest performances for total hygiene productions

Accessories		Ref. no.	Min. required	VHW440 IC 5PP	VHW440 IC Z22 AU	VHW440 IC Z22
	ALUM.EXTENSION D40 MT1 INLET PIN M/F	Z7 22386	1	○	○	○
	ALUMINIUM EXTENSION D50 MT1 INLET PIN	Z7 22385	1	○	○	○
	FLAT LANCE D50 INOX	40000220	1	○	○	○
	HANDGRIP D50 ALUMINIUM COMPLETE	Z7 22025	1	○	○	○
	HANDGRIP D50 INOX COMPLETE	40000222	1	○	○	○
	HANDGRIP D70 ALUMINIUM COMPLETE	Z7 22091	1	○	○	○
Vac Nozzle Dry						
	MOB.SUCKER STRIP D40 MM400 FE COMPLETE	Z7 22138	1	○	○	○
	MOB.SUCKER STRIP D50 MM300 FE COMPLETE	Z7 22175	1	○	○	○
	MOB.SUCKER STRIP D50 MM400 FE COMPLETE	Z7 22137	1	○	○	○
	MOB.SUCKER STRIP D50 MM500 FE COMPLETE	Z7 22148	1	○	○	○
	MOB.SUCKER STRIP D70 MM500 FE COMPLETE	Z7 22149	1	○	○	○
	MOBILE SUCKER D50 MM400 INOX COMPLETE	40000223	1	○	○	○
Bag						
	5PCS PAPER BAGS GS82	81584000	1	□	□	□

The highest performances for total hygiene productions

Accessories		Ref. no.	Min. required	VHW440 IC 5PP	VHW440 IC Z22 AU	VHW440 IC Z22
DUST SAFE BAG SYSTEM D.3-460 ANTISTATIC		Z8 40874	1	□	□	□
Vacuum Hose and Connection						
	BENT CONNECTION D50 FE	Z7 21012	1	○	○	○
	BENT CONNECTION D50/40 Z.PLT.	Z7 22015	1	○	○	○
	BENT CONNECTION D50/70 FE	Z7 22153	1	○	○	○
	BENT CONNECTION D70 FE	Z7 21032	1	○	○	○
	CONNECTION JOINT D50 FE	Z7 21002	1	○	○	○
	CONNECTION JOINT D50 INOX	Z7 22241	1	○	○	○
	CONNECTION JOINT D70 FE	Z7 21000	1	○	○	○
	CONNECTION JOINT D70 INOX	Z7 22242	1	○	○	○
	CONNECTION TUBE D50 INOX	Z7 22230	1	○	○	○
	CONNECTION TUBE D70 STEEL	Z7 21001	1	○	○	○
	CONNECTION TUBE REG. D70 INOX COMPLETE	Z7 22222	1	○	○	○
	CONNECTION TUBE REGULAT. D70 COMPLETE	Z7 22113	1	○	○	○


The highest performances for total hygiene productions

	Accessories	Ref. no.	Min. required	VHW440 IC 5PP	VHW440 IC Z22 AU	VHW440 IC Z22
	HOSE FITTING D50 PIN M	4072200388	1	○	○	○
	REDUCER D70/50 INOX	Z7 22225	1	○	○	○
	REDUCER IRON D70/50	Z7 22001	1	○	○	○
	REDUCER REGULATION D70/50 COMPLETE	Z7 22162	1	○	○	○
	REDUCTION 40/38 PIN M	4072200389	1	○	○	○
	REG.REDUCER D70/50 INOX COMPLETE	Z7 22236	1	○	○	○
	TRIFURCATION D70/50/50/50 FE	Z7 22259	1	○	○	○
	WYE D70/50/50 INOX	Z7 22263	1	○	○	○
	WYE D70/50/50 ZINC PLT.	Z7 22064	1	○	○	○
	WYE D70/70/70	Z7 22110	1	○	○	○
	WYE D70/70/70 INOX	Z7 22282	1	○	○	○
	WYE REG.70/50/50 INOX COMPLETE	Z7 22249	1	○	○	○

The highest performances for total hygiene productions

Accessories		Ref. no.	Min. required	VHW440 IC 5PP	VHW440 IC Z22 AU	VHW440 IC Z22
	WYE+REG.D70/50/50 FE COMPLETE	Z7 22065	1	○	○	○
Crevice Nozzle						
	FLAT LANCE D50 ZINC PLT.	Z7 21026	1	○	○	○
	FLAT LANCE D70 ZINC PLT.	Z7 21028	1	○	○	○
	FLAT LANCE FITTING D.50 FE	Z7 21075	1	○	○	○
Cone Nozzle						
	CONIC TUBE D40 SYLICONE	Z7 21086	1	○	○	○
Hose Vacuum Cleaner						
	POL HOSE D50 MT5+SLEEVES	Z7 22366	1	○	○	○
	POL HOSE D70 MT5+SLEEVES	Z7 22367	1	○	○	○
	SILICON HOSE D.50 BY MT.	4072400220	1	○	○	○
	TUBE D50 ATOXIC ANTISTATIC IN METERS	Z7 24029	1	○	○	○
	TUBE D50 POLYURETHAN MT3+SLEEV	Z7 22298	1	○	○	○
	TUBE D70 ATOXIC ANTISTATIC IN METERS	Z7 24030	1	○	○	○

The highest performances for total hygiene productions

Accessories		Ref. no.	Min. required	VHW440 IC 5PP	VHW440 IC Z22 AU	VHW440 IC Z22
	TUBE D70 POLYURETHAN MT3+SLEEV	Z7 22299	1	○	○	○
Filter						
	SAFE BAG D.460 STD WITH SAFETY BELT	4084001244	1	□	□	□