

Approved for healthy cleaning

IVB 5 and IVB 7 M/H is the solution for the even more demanding customers with a higher frequency of cleaning. IVB 5/7 will solve all major tasks in your company - workshop, garage, production etc. Additionally this health & safety variant complies with all current requirements of the new European standard. The IVB 5/7 series is equipped with the XtremeClean system which allows automatic cleaning of the filter cartridge while vacuuming on full suction performance. The XtremeClean technology blasts the dirt off the filter and the suction performance is always high. The M class version is equipped with washable M-Class PET Fleece filter element - Easy and economical maintenance.



- Safety vacuum cleaner for dustclass M or H
- XtremeClean filter cleaning system. The XtremeClean technology blasts the dirt off the filter to keep the suction performance high
- SoftStart. A gentle motor startup keeps the starting current low. For easy starting on limited electrical systems
- Auto On/Off. In combination with powered tools the machine starts and stops automatically when you start or stop the power tool
- Speed governor. To reduce suction performance and noise level and to prevent that the power tool sticks to the working surface
- IVB 7, Tilt or LiftOut container





Picture shown may not represent model quoted

The IVB 5 and IVB 7 M/H is equipped with the XtremeClean system which clean your filter automatically while you work. With IVB 7 you also get features like 70 l stainless steel container, robust steel frame and tilt or lift-off container emptying.

• Standard equipment

Included accessories	Ref. no.	Min. required	NILFISK IVB5-H 240V/50HZ AU	NILFISK IVB 5-H 230/50 EU	NILFISK IVB 5-M 230/50 EU
Filter					
 FILTER ELEMENT D275X187 H-CLASS	107400564	0	•	•	
 FILTER ELEMENT D275X187 PET NANO M-CLASS	107400562	0			•

• Standard equipment

Included accessories	Ref. no.	Min. required	NILFISK IVB 7-H 230/1/50 EU	NILFISK IVB 7-M 230/1/50 EU
Filter				
 FILTER ELEMENT D275X187 H-CLASS	107400564	0	•	
 FILTER ELEMENT D275X187 PET NANO M-CLASS	107400562	0		•



Approved for healthy cleaning

Model	NILFISK IVB5-H 240V/50HZ AU	NILFISK IVB 5-H 230/50 EU	NILFISK IVB 5-M 230/50 EU
Ref. no.	107406178	302001891	302001892

PRODUCT FEATURES

Cable holder	•	•	•
Softstart	•	•	•
Filter bag			•
Disposal bag			•
Airflow sensor	•	•	•
Tilting container			
Safety filter bag	•	•	•
Anti-static system	•	•	•
Motor speed control	•	•	•
Robust steel chassis			
Wet & dry performance	•	•	•
Low working sound level	•	•	•
Stainless steel container			
MultiFit accessory system	•	•	•
Genuine rubber mains cable	•	•	•
Washable PET fleece filter			•
Automatic On/Off-elec. tools	•	•	•
Big wheels and convenient grip			
M-class hazardous dust approval			•
H-class hazardous dust approval	•	•	
XtremeClean filter cleaning	•	•	•

Model	NILFISK IVB 7-H 230/1/50 EU	NILFISK IVB 7-M 230/1/50 EU
Ref. no.	302001893	302001894

PRODUCT FEATURES

Cable holder	•	•
Softstart	•	•
Filter bag		•
Disposal bag		•
Airflow sensor	•	•
Tilting container	•	•
Safety filter bag	•	•
Anti-static system	•	•
Motor speed control	•	•



Approved for healthy cleaning

Model	NILFISK IVB 7-H 230/1/50 EU	NILFISK IVB 7-M 230/1/50 EU
Ref. no.	302001893	302001894

PRODUCT FEATURES

Robust steel chassis	•	•
Wet & dry performance	•	•
Low working sound level	•	•
Stainless steel container	•	•
MultiFit accessory system	•	•
Genuine rubber mains cable	•	•
Washable PET fleece filter		•
Automatic On/Off-elec. tools	•	•
Big wheels and convenient grip	•	•
M-class hazardous dust approval		•
H-class hazardous dust approval	•	
XtremeClean filter cleaning	•	•




Technical specifications	NILFISK IVB5-H 240V/50HZ AU	NILFISK IVB 5-H 230/50 EU	NILFISK IVB 5-M 230/50 EU
Grounded	YES	YES	YES
Voltage (V)	220-240/AU	220-240/EU	220-240/EU
Frequency (Hz)	50-60	50-60	50-60
Ip protection class	IPX4	IPX4	IPX4
Dust class	H	H	M
Rated power (W)	1200	1200	1200
Suction power end of tube (W)	270	270	270
Airflow without hose (l/sec)	60	60	60
Vacuum (kPa)	23	23	23
Vacuum max (kPa)	23	23	23
Sound pressure level at 1.5 m (dB(A) ISO 3744)	53.5	53.5	53.5
Sound pressure level at 1.5m w/nozzle (dB(A) ISO 11203)	-	-	-
Container capacity (l)	45	45	45
Dust bag capacity (l)	20	20	20
Main filter type	Paper/Glass Fibre	Paper/Glass Fibre	PET
Main filter area (cm ²)	10000	10000	7800
Exhaust filter ULPA U15 (cm ²)	-	-	-
Inlet (mm)	50 MultiFit	50 MultiFit	50 MultiFit
Length x width x height (mm)	506x476x650	506x476x650	506x476x650
Weight (kg)	16.7	16.7	16.7



Approved for healthy cleaning










Technical specifications	NILFISK IVB 7-H 230/1/50 EU	NILFISK IVB 7-M 230/1/50 EU
Grounded	YES	YES
Voltage (V)	220-240/EU	220-240/EU
Frequency (Hz)	50-60	50-60
Ip protection class	IPX4	IPX4
Dust class	H	M
Rated power (W)	1200	1200
Suction power end of tube (W)	270	270
Airflow without hose (l/sec)	60	60
Vacuum (kPa)	23	23
Vacuum max (kPa)	23	23
Sound pressure level at 1.5 m (dB(A) ISO 3744)	53.5	53.5
Sound pressure level at 1.5m w/nozzle (dB(A) ISO 11203)	-	-
Container capacity (l)	70	70
Dust bag capacity (l)	40	40
Main filter type	Paper/Glass Fibre	PET
Main filter area (cm ²)	10000	7800
Exhaust filter ULPA U15 (cm ²)	-	-
Inlet (mm)	50 MultiFit	50 MultiFit
Length x width x height (mm)	580x605x970	580x605x970
Weight (kg)	27.2	27.2

● Standard equipment, ○ Supplementary accessories, □ Mountable equipment












Accessories	Ref. no.	Min. required	NILFISK IVB5-H 240V/50HZ AU	NILFISK IVB 5-H 230/50 EU	NILFISK IVB 5-M 230/50 EU
Vac Nozzle Fixed					
 BRUSH STRIP 1 PCS FOR FIXED NOZZLE	7993	0			
System 50 Vac Floor Nozzle					
 FIXED FLOOR NOZZLE Ø50X600MM ALU	302001481	0			
 RUBBER LIPS 2 PCS FOR FIXED NOZZLE	15814	0			
Disposal Bag					







Approved for healthy cleaning

Accessories		Ref. no.	Min. required	NILFISK IVB5-H 240V/50HZ AU	NILFISK IVB 5-H 230/50 EU	NILFISK IVB 5-M 230/50 EU
	DISPOSAL BAG FOR FILTER ELEMENT	30082	0	○	○	○
Other						
	CHIP COLLECTION BASKET Ø392X390 SS	302001612	0			
	HOSE HOLDER	65081	0			
Vacuum Hose and Connection						
	BENT JUNCTION D38	10944000	0	○	○	○
	MULTIFIT CONNECTOR	80601400	0	○	○	○
	SS BENT JUNCTION D38	71917000	0	○	○	○
Round Brush Nozzle						
	ROUND BRUSH NATURAL BRISTLES 70MM F/ 38	12422500	0	○	○	○
	ROUND BRUSH RED FOR 38MM BRUSH 70M	10950201	0	○	○	○
Extension Tube						
	SS TUBE 630MM	11916000	0	○	○	○
Nozzle						
	FLAT NOZZLE D38 X IW	82169700	0	○	○	○
	HARD FLOOR NOZZ.	12126800	0	○	○	○
	NOZZLE W/BRISTLES F/38MM	140 3816 020	0	○	○	○
Accessory Kit						





Approved for healthy cleaning

Accessories		Ref. no.	Min. required	NILFISK IVB5-H 240V/50HZ AU	NILFISK IVB 5-H 230/50 EU	NILFISK IVB 5-M 230/50 EU
	ANTISTAT KIT 38MM	80601000	0	○	○	○
	MAC/FLOOR KIT 38MM POLYUR. MUL	80601200	0	○	○	○
	MAC/FLOOR KIT 38MM RUBBER MULT	80601300	0	○	○	○
	MACH. KIT 38MM POLYURETHANE MU	80601100	0	○	○	○
Cone Nozzle						
	CONIC ACC D38 X IW	82167900	0	○	○	○
	RUBBER CONDE D38	80956200	0	○	○	○
Vac Nozzle Dry						
	FLOOR NOZZLE D38 X IW	82168000	0	○	○	○
Filter						
	FILTER ELEMENT D275X187 H-CLASS	107400564	0	●	●	
	FILTER ELEMENT D275X187 PET NANO M-CLASS	107400562	0			●
Special Filter						
	MOTOR COOLING AIR FILTER	302000491	0	○	○	○
Exhaust Air Collector						
	EXHAUST AIR COLLECTOR ATTIX 5/7	302000522	0	○	○	○

Approved for healthy cleaning










Accessories		Ref. no.	Min. required	NILFISK IVB5-H 240V/50HZ AU	NILFISK IVB 5-H 230/50 EU	NILFISK IVB 5-M 230/50 EU
Vacuum Accessory Set						
	WORKSHOP SET Ø36MM 6-PCS	302000927	1	○	○	○
Filter Bag						
	FILTERSACK VPE 5	302001138	0	○	○	○
Bag						
	DISPOSAL BAG IVB-5 5 PCS	302001311	0	○	○	○
	FILTER BAG IVB-7 5 PCS	302001909	0			
	SAFETY FILTER BAG ATTIX 560 SET5	302001143	0	○	○	○
	SAFETY FILTER BAG IVB-7 5 PCS	302001912	0			

● Standard equipment, ○ Supplementary accessories, □ Mountable equipment











Accessories		Ref. no.	Min. required	NILFISK IVB 7-H 230/1/50 EU	NILFISK IVB 7-M 230/1/50 EU
Vac Nozzle Fixed					
	BRUSH STRIP 1 PCS FOR FIXED NOZZLE	7993	0	○	○
System 50 Vac Floor Nozzle					
	FIXED FLOOR NOZZLE Ø50X600MM ALU	302001481	0	○	○
	RUBBER LIPS 2 PCS FOR FIXED NOZZLE	15814	0	○	○
Disposal Bag					
	DISPOSAL BAG FOR FILTER ELEMENT	30082	0	○	○
Other					






Approved for healthy cleaning

Accessories		Ref. no.	Min. required	NILFISK IVB 7-H 230/1/50 EU	NILFISK IVB 7-M 230/1/50 EU
	CHIP COLLECTION BASKET Ø392X390 SS	302001612	0	○	○
	HOSE HOLDER	65081	0	○	○
Vacuum Hose and Connection					
	BENT JUNCTION D38	10944000	0	○	○
	MULTIFIT CONNECTOR	80601400	0	○	○
	SS BENT JUNCTION D38	71917000	0	○	○
Round Brush Nozzle					
	ROUND BRUSH NATURAL BRISTLES 70MM F/ 38	12422500	0	○	○
	ROUND BRUSH RED FOR 38MM BRUSH 70M	10950201	0	○	○
Extension Tube					
	SS TUBE 630MM	11916000	0	○	○
Nozzle					
	FLAT NOZZLE D38 X IW	82169700	0	○	○
	HARD FLOOR NOZZ.	12126800	0	○	○
	NOZZLE W/BRISTLES F/38MM	140 3816 020	0	○	○
Accessory Kit					
	ANTISTAT KIT 38MM	80601000	0	○	○
	MAC/FLOOR KIT 38MM POLYUR. MUL	80601200	0	○	○

Approved for healthy cleaning

Accessories		Ref. no.	Min. required	NILFISK IVB 7-H 230/1/50 EU	NILFISK IVB 7-M 230/1/50 EU
	MAC/FLOOR KIT 38MM RUBBER MULT	80601300	0	○	○
	MACH. KIT 38MM POLYURETHANE MU	80601100	0	○	○
Cone Nozzle					
	CONIC ACC D38 X IW	82167900	0	○	○
	RUBBER CONDE D38	80956200	0	○	○
Vac Nozzle Dry					
	FLOOR NOZZLE D38 X IW	82168000	0	○	○
Filter					
	FILTER ELEMENT D275X187 H-CLASS	107400564	0	●	
	FILTER ELEMENT D275X187 PET NANO M-CLASS	107400562	0		●
Special Filter					
	MOTOR COOLING AIR FILTER	302000491	0	○	○
Exhaust Air Collector					
	EXHAUST AIR COLLECTOR ATTIX 5/7	302000522	0	○	○
Vacuum Accessory Set					
	WORKSHOP SET Ø36MM 6-PCS	302000927	1	○	○

Approved for healthy cleaning

Accessories		Ref. no.	Min. required	NILFISK IVB 7-H 230/1/50 EU	NILFISK IVB 7-M 230/1/50 EU
Filter Bag					
	FILTERSACK VPE 5	302001138	0		
Bag					
	DISPOSAL BAG IVB-5 5 PCS	302001311	0		
	FILTER BAG IVB-7 5 PCS	302001909	0	○	○
	SAFETY FILTER BAG ATTIX 560 SET5	302001143	0		
	SAFETY FILTER BAG IVB-7 5 PCS	302001912	0	○	○